

Datasheet for ABIN7562361  
**NDUFA1 Protein (AA 1-70) (Fc Tag)**



[Go to Product page](#)

## Overview

Quantity:	1 mg
Target:	NDUFA1
Protein Characteristics:	AA 1-70
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NDUFA1 protein is labelled with Fc Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

## Product Details

Purpose:	Custom-made recombinat Ndufa1 Protein expressed in mammalien cells.
Sequence:	MWFEILPGLA IMGVCLVIPG VSTAYIHKFT NGGKEKRVAR VQYQWYLMER DRRISGVNRY YVSKGLENID <b>Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</b>
Characteristics:	<p>Key Benefits:</p> <ul style="list-style-type: none"> <li>• Made to order protein - from design to production - by highly experienced protein experts.</li> <li>• Protein expressed in mammalien cells and purified in one-step affinity chromatography</li> <li>• The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.</li> <li>• State-of-the-art algorithm used for plasmid design (Gene synthesis).</li> </ul> <p>This protein is a made-to-order protein and will be made for the first time for your order. Our</p>

## Product Details

experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity: > 90 % as determined by Bis-Tris Page, Western Blot

Grade: custom-made

## Target Details

Target: NDUFA1

Alternative Name: Ndufa1 ([NDUFA1 Products](#))

Background: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1 (Complex I-MWFE) (CI-MWFE) (NADH-ubiquinone oxidoreductase MWFE subunit),FUNCTION: Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I), that is believed not to be involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone. {ECO:0000250|UniProtKB:O15239}.

Molecular Weight: 8.1 kDa

UniProt: [O35683](#)

## Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

## Handling

---

Handling Advice:	Avoid repeated freeze-thaw cycles.
------------------	------------------------------------

Storage:	-80 °C
----------	--------

Storage Comment:	Store at -80°C.
------------------	-----------------

Expiry Date:	12 months
--------------	-----------