

## Datasheet for ABIN7562413

# Mafg Protein (AA 1-162) (His tag)



#### Overview

Quantity:	1 mg
Target:	Mafg
Protein Characteristics:	AA 1-162
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Mafg protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Purpose:	Custom-made recombinat Mafg Protein expressed in mammalien cells.
Sequence:	MTTPNKGNKA LKVKREPGEN GTSLTDEELV TMSVRELNQH LRGLSKEEII QLKQRRRTLK NRGYAASCRV KRVTQKEELE KQKAELQQEV EKLASENASM KLELDALRSK YEALQNFART VARSPVAPAR GPLAAGLGPL VPGKVAATSV ITIVKSKTDA RS Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	<ul> <li>Key Benefits:</li> <li>Made to order protein - from design to production - by highly experienced protein experts.</li> <li>Protein expressed in mammalien cells and purified in one-step affinity chromatography</li> <li>The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.</li> </ul>

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

### **Target Details**

Target:	Mafg
Alternative Name:	Mafg (Mafg Products)
Background:	Transcription factor MafG (V-maf musculoaponeurotic fibrosarcoma oncogene homolog
	G),FUNCTION: Since they lack a putative transactivation domain, the small Mafs behave as
	transcriptional repressors when they dimerize among themselves (PubMed:16738329,
	PubMed:9679061). However, they seem to serve as transcriptional activators by dimerizing
	with other (usually larger) basic-zipper proteins, such as NFE2, NFE2L1 and NFE2L2, and
	recruiting them to specific DNA-binding sites (PubMed:16738329, PubMed:9679061). Small
	Maf proteins heterodimerize with Fos and may act as competitive repressors of the NFE2L2
	transcription factor. Transcription factor, component of erythroid-specific transcription factor
	NFE2L2. Activates globin gene expression when associated with NFE2L2 (By similarity). May be
	involved in signal transduction of extracellular H(+) (By similarity).
	{ECO:0000250 UniProtKB:015525, ECO:0000250 UniProtKB:Q76MX4}.
Molecular Weight:	17.9 kDa
UniProt:	054790

#### **Application Details**

**Application Notes:** 

In addition to the applications listed above we expect the protein to work for functional studies

## **Application Details**

	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months