

Datasheet for ABIN7562595 **IKBKB Protein (AA 1-757) (His tag)**



Go to Product page

_				
()	VE	r\/		Λ/
()	V C	I V	1	v v

Quantity:	1 mg
Target:	IKBKB
Protein Characteristics:	AA 1-757
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IKBKB protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Purpose:	Custom-made recombinat Ikbkb Protein expressed in mammalien cells.
Sequence:	MSWSPSLPTQ TCGAWEMKER LGTGGFGNVI RWHNQATGEQ IAIKQCRQEL SPKNRNRWCL
	EIQIMRRLNH PNVVAARDVP EGMQNLAPND LPLLAMEYCQ GGDLRRYLNQ FENCCGLREG
	AVLTLLSDIA SALRYLHENR IIHRDLKPEN IVLQQGEKRL IHKIIDLGYA KELDQGSLCT
	SFVGTLQYLA PELLEQQKYT VTVDYWSFGT LAFECITGFR PFLPNWQPVQ WHSKVRQKSE
	VDIVVSEDLN GAVKFSSSLP FPNNLNSVLA ERLEKWLQLM LMWHPRQRGT DPQYGPNGCF
	RALDDILNLK LVHVLNMVTG TVHTYPVTED ESLQSLKTRI QENTGILETD QELLQKAGLV
	LLPDKPATQC ISDSKTNEGL TLDMDLVFLL DNSKINYETQ ITPRPPPESV SCILQEPKRN
	LSFFQLRKVW GQVWHSIQTL KEDCNRLQQG QRAAMMSLLR NNSCLSKMKN AMASTAQQLK
	AKLDFFKTSI QIDLEKYKEQ TEFGITSDKL LLAWREMEQA VEQCGRENDV KHLVERMMAL
	QTDIVDLQRS PMGRKQGGTL DDLEEQAREL YRKLREKPRD QRTEGDSQEM VRLLLQAIQS
	FEKKVRVIYT QLSKTVVCKQ KALELLPKVE EVVSLMNEDE RTVVRLQEKR QKELWNLLKI

ACSKVRGPVS GSPDSMNVSR LSHPGQLMSQ PSSACDSLPE SDKKSEELVA EAHALCSRLE SALQDTVKEQ DRSFTTLDWS WLQMEDEERC SLEQACD Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

Target:

custom-made

IKBKB

Target Details

rarget.	
Alternative Name:	Ikbkb (IKBKB Products)
Background:	Inhibitor of nuclear factor kappa-B kinase subunit beta (I-kappa-B-kinase beta) (IKK-B) (IKK-
	beta) (IkBKB) (EC 2.7.11.10) (I-kappa-B kinase 2) (IKK2) (Nuclear factor NF-kappa-B inhibitor
	kinase beta) (NFKBIKB) (Serine/threonine protein kinase IKBKB) (EC 2.7.11.1),FUNCTION:
	Serine kinase that plays an essential role in the NF-kappa-B signaling pathway which is
	activated by multiple stimuli such as inflammatory cytokines, bacterial or viral products, DNA
	damages or other cellular stresses (By similarity). Acts as a part of the canonical IKK complex
	in the conventional pathway of NF-kappa-B activation (By similarity). Phosphorylates inhibitors

of NF-kappa-B on 2 critical serine residues (By similarity). These modifications allow

polyubiquitination of the inhibitors and subsequent degradation by the proteasome (By similarity). In turn, free NF-kappa-B is translocated into the nucleus and activates the transcription of hundreds of genes involved in immune response, growth control, or protection against apoptosis (By similarity). In addition to the NF-kappa-B inhibitors, phosphorylates several other components of the signaling pathway including NEMO/IKBKG, NF-kappa-B subunits RELA and NFKB1, as well as IKK-related kinases TBK1 and IKBKE (By similarity). IKK-related kinase phosphorylations may prevent the overproduction of inflammatory mediators since they exert a negative regulation on canonical IKKs (By similarity). Phosphorylates FOXO3, mediating the TNF-dependent inactivation of this pro-apoptotic transcription factor (By similarity). Also phosphorylates other substrates including NAA10, NCOA3, BCL10 and IRS1 (By similarity). Phosphorylates RIPK1 at 'Ser-25' which represses its kinase activity and consequently prevents TNF-mediated RIPK1-dependent cell death (PubMed:30988283). Phosphorylates the C-terminus of IRF5, stimulating IRF5 homodimerization and translocation into the nucleus (PubMed:25326420). {ECO:0000250|UniProtKB:014920, ECO:0000269|PubMed:25326420, ECO:0000269|PubMed:30988283}.

Wolcoular Weight.	00.7 KDa
UniProt:	088351
Pathways:	NF-kappaB Signaling, RTK Signaling, TCR Signaling, TLR Signaling, Fc-epsilon Receptor
	Signaling Pathway, Neurotrophin Signaling Pathway, Activation of Innate immune Response,
	Production of Molecular Mediator of Immune Response, Hepatitis C, Toll-Like Receptors
	Cascades, BCR Signaling, Ubiquitin Proteasome Pathway, S100 Proteins

Application Details

Molecular Weight

86.7 kDa

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.

Handling

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months