

Datasheet for ABIN7562618

Geminin Protein (AA 1-206) (His tag)



Overview

Quantity:	1 mg
Target:	Geminin (GMNN)
Protein Characteristics:	AA 1-206
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Geminin protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)
Product Details	
Purpose:	Custom-made recombinat Gmnn Protein expressed in mammalien cells.
Sequence:	MNLSMKQKQE GAQENVKNSP VPRRTLKMIQ PSADGSLVGR ENELPKGLFK RKLWDDQLAS
	QTSSCGPEAN ENKDVGDLTQ EAFDLISKEN PSSQYWKEVA EQRRKALYEA LKENEKLHKE
	IEQKDSEIAR LRKENKDLAE VAEHVQYMAE VIERLSNEPL DNFESPDSQE FDSEEEAVEY
	SELEDSGAGT CAEETVSSST DARPCT Sequence without tag. The proposed Purification-Tag
	is based on experiences with the expression system, a different complexity of the protein
	could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.
	 Protein expressed in mammalien cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

> 90 % as determined by Bis-Tris Page, Western Blot Purity:

Grade: custom-made

Target Details

Target:	Geminin (GMNN)
Alternative Name:	Gmnn (GMNN Products)
Background:	Geminin, FUNCTION: Inhibits DNA replication by preventing the incorporation of MCM complex
	into pre-replication complex (pre-RC) (PubMed:12192004, PubMed:9635433). It is degraded
	during the mitotic phase of the cell cycle. Its destruction at the metaphase-anaphase transition
	permits replication in the succeeding cell cycle (PubMed:12192004, PubMed:9635433). Inhibits
	histone acetyltransferase activity of KAT7/HB01 in a CDT1-dependent manner, inhibiting
	histone H4 acetylation and DNA replication licensing (By similarity). Inhibits the transcriptional
	activity of a subset of Hox proteins, enrolling them in cell proliferative control (By similarity).
	{ECO:0000250 UniProtKB:075496, ECO:0000269 PubMed:12192004,
	ECO:0000269 PubMed:9635433}.
Molecular Weight:	23.3 kDa
UniProt:	088513
Pathways:	EGFR Signaling Pathway, DNA Replication

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a

Application Details

	guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months