

Datasheet for ABIN7562831

## SLC3A2 Protein (AA 1-526) (His tag)



[Go to Product page](#)

### Overview

Quantity:	1 mg
Target:	SLC3A2
Protein Characteristics:	AA 1-526
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC3A2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

### Product Details

Purpose:	Custom-made recombinat Slc3a2 Protein expressed in mammalian cells.
Sequence:	<p>MSQDTEVDMK DVELNELEPE KQPMNAADGA AAGEKNGLVK IKVAEDETEA GVKFTGLSKE            ELLKVAGSPG WVRTRWALLL LFWLGWLGML AGAVVIIVRA PRCRELPVQR WWHKGALYRI            GDLQAFVGRD AGGIAGLKSH LEYLSTLKVK GLVLGPIHKN QKDEINETDL KQINPTLGSQ            EDFKDLLQSA KKKSIIILD LTPNYQGQNA WFLPAQADIV ATKMKEALSS WLQDGVDFGQ            FRDVGKLMNA PLYLAEWQNI TKNLSEDRLL IAGTESSDLQ QIVNILESTS DLLLTSSYLS            NSTFTGERTE SLVTRFLNAT GSQWCSWSVS QAGLLADFIP DHLLRLYQLL LFTLPGTPVF            SYGDELGLQG ALPGQPAKAP LMPWNESSIF HIPRPVSLNM TVKGQNEPDG SLLTQFRRLS            DLRGKERSLL HGDFHALSSS PDLFSYIRHW DQNERYLVL NFRDSGRSAR LGASNLPAGI            SLPASAKLLL STDSARQSRE EDTSLKLENL SLNPYEGLLL QFPFVA <b>Sequence without tag. The            proposed Purification-Tag is based on experiences with the expression system, a different            complexity of the protein could make another tag necessary. In case you have a special</b></p>

### **request, please contact us.**

#### Characteristics:

##### Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

#### Grade:

custom-made

## Target Details

---

#### Target:

SLC3A2

#### Alternative Name:

Slc3a2 ([SLC3A2 Products](#))

#### Background:

Amino acid transporter heavy chain SLC3A2 (4F2 cell-surface antigen heavy chain) (4F2hc) (Solute carrier family 3 member 2) (CD antigen CD98), FUNCTION: Acts as a chaperone that facilitates biogenesis and trafficking of functional transporters heterodimers to the plasma membrane. Forms heterodimer with SLC7 family transporters (SLC7A5, SLC7A6, SLC7A7, SLC7A8, SLC7A10 and SLC7A11), a group of amino-acid antiporters (PubMed:9915839, PubMed:10574970, PubMed:11011012, PubMed:10734121). Heterodimers function as amino acids exchangers, the specificity of the substrate depending on the SLC7A subunit. Heterodimers SLC3A2/SLC7A6 or SLC3A2/SLC7A7 mediate the uptake of dibasic amino acids. Heterodimer SLC3A2/SLC7A11 functions as an antiporter by mediating the exchange of extracellular anionic L-cystine and intracellular L-glutamate across the cellular plasma membrane (By similarity). SLC3A2/SLC7A10 translocates small neutral L- and D-amino acids across the plasma membrane (By similarity). SLC3A2/SLC75 or SLC3A2/SLC7A8 translocates

## Target Details

neutral amino acids with broad specificity, thyroid hormones and L-DOPA. SLC3A2 is essential for plasma membrane localization, stability, and the transport activity of SLC7A5 and SLC7A8. When associated with LPTM4B, the heterodimer SLC7A5 is recruited to lysosomes to promote leucine uptake into these organelles, and thereby mediates mTORC1 activation. Modulates integrin-related signaling and is essential for integrin-dependent cell spreading, migration and tumor progression (By similarity). {ECO:0000250|UniProtKB:P08195, ECO:0000250|UniProtKB:P63115, ECO:0000269|PubMed:10574970, ECO:0000269|PubMed:10734121, ECO:0000269|PubMed:11011012, ECO:0000269|PubMed:9915839}.

Molecular Weight: 58.3 kDa

UniProt: [P10852](#)

## Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months