

Datasheet for ABIN7562909 **ATF2 Protein (AA 1-487) (His tag)**



Go to Product page

()	ve	r\/i	۱۸/
\cup	V C	1 / 1	 v v

Quantity:	1 mg
Target:	ATF2
Protein Characteristics:	AA 1-487
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATF2 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Purpose:	Custom-made recombinat Atf2 Protein expressed in mammalien cells.
Sequence:	MSDDKPFLCT APGCGQRFTN EDHLAVHKHK HEMTLKFGPA RNDSVIVADQ TPTPTRFLKN
	CEEVGLFNEL ASPFENEFKK ASEDDIKKMP LDLSPLATPI IRSKIEEPSV VETTHQDSPL
	PHPESTTSDE KEVPLAQTAQ PTSAIVRPAS LQVPNVLLTS SDSSVIIQQA VPSPTSSTVI
	TQAPSSNRPI VPVPGPFPLL LHLPNGQTMP VAIPASITSS NVHVPAAVPL VRPVTMVPSV
	PGIPGPSSPQ PVQSEAKMRL KAALTQQHPP VTNGDTVKGH GSGLVRTQSE ESRPQSLQQP
	ATSTTETPAS PAHTTPQTQN TSGRRRRAAN EDPDEKRRKF LERNRAAASR CRQKRKVWVQ
	SLEKKAEDLS SLNGQLQSEV TLLRNEVAQL KQLLLAHKDC PVTAMQKKSG YHTADKDDSS
	EDLSVPSSPH TEAIQHSSVS TSNGVSSTSK AEAVATSVLT QMADQSTEPA LSQIVMAPPS
	QAQPSGS Sequence without tag. The proposed Purification-Tag is based on experiences
	with the expression system, a different complexity of the protein could make another tag
	necessary. In case you have a special request, please contact us.

Product Details

Characteristics:

Key Benefits:

- Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

ATF2

Alternative Name:

Atf2 (ATF2 Products)

Background:

Cyclic AMP-dependent transcription factor ATF-2 (cAMP-dependent transcription factor ATF-2) (Activating transcription factor 2) (MXBP protein) (cAMP response element-binding protein CRE-BP1), FUNCTION: Transcriptional activator which regulates the transcription of various genes, including those involved in anti-apoptosis, cell growth, and DNA damage response. Dependent on its binding partner, binds to CRE (cAMP response element) consensus sequences (5'-TGACGTCA-3') or to AP-1 (activator protein 1) consensus sequences (5'-TGACTCA-3'). In the nucleus, contributes to global transcription and the DNA damage response, in addition to specific transcriptional activities that are related to cell development, proliferation and death. In the cytoplasm, interacts with and perturbs HK1- and VDAC1-containing complexes at the mitochondrial outer membrane, thereby impairing mitochondrial membrane potential, inducing mitochondrial leakage and promoting cell death. The phosphorylated form (mediated by ATM) plays a role in the DNA damage response and is involved in the ionizing radiation (IR)-induced S phase checkpoint control and in the recruitment of the MRN complex

Target Details

	into the IR-induced foci (IRIF). Exhibits histone acetyltransferase (HAT) activity which
	specifically acetylates histones H2B and H4 in vitro. In concert with CUL3 and RBX1, promotes
	the degradation of KAT5 thereby attenuating its ability to acetylate and activate ATM. Can elicit
	oncogenic or tumor suppressor activities depending on the tissue or cell type (By similarity).
	{ECO:0000250}.
Molecular Weight:	52.3 kDa
UniProt:	P16951

MAPK Signaling, RTK Signaling, Thyroid Hormone Synthesis, Activation of Innate immune

Response, Chromatin Binding, Myometrial Relaxation and Contraction, Synaptic Membrane,

Application Details

Pathways:

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a

Tube Formation, Toll-Like Receptors Cascades

guarantee though.

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months