

Datasheet for ABIN7562910 HSPA2 Protein (AA 1-633) (His tag)



\sim				
O_1	/ el	rVI	161	Λ

Quantity:	1 mg
Target:	HSPA2
Protein Characteristics:	AA 1-633
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This HSPA2 protein is labelled with His tag.

Product Details	
Purpose:	Custom-made recombinant Hspa2 Protein expressed in mammalian cells.
Sequence:	MSARGPAIGI DLGTTYSCVG VFQHGKVEII ANDQGNRTTP SYVAFTDTER LIGDAAKNQV
	AMNPTNTIFD AKRLIGRKFE DATVQSDMKH WPFRVVSEGG KPKVQVEYKG EMKTFFPEEI
	SSMVLTKMKE IAEAYLGGKV QSAVITVPAY FNDSQRQATK DAGTITGLNV LRIINEPTAA
	AIAYGLDKKG CAGGEKNVLI FDLGGGTFDV SILTIEDGIF EVKSTAGDTH LGGEDFDNRM
	VSHLAEEFKR KHKKDIGPNK RAVRRLRTAC ERAKRTLSSS TQASIEIDSL YEGVDFYTSI
	TRARFEELNA DLFRGTLEPV EKALRDAKLD KGQIQEIVLV GGSTRIPKIQ KLLQDFFNGK
	ELNKSINPDE AVAYGAAVQA AILIGDKSEN VQDLLLLDVT PLSLGIETAG GVMTPLIKRN
	TTIPTKQTQT FTTYSDNQSS VLVQVYEGER AMTKDNNLLG KFDLTGIPPA PRGVPQIEVT
	FDIDANGILN VTAADKSTGK ENKITITNDK GRLSKDDIDR MVQEAERYKS EDEANRDRVA
	AKNAVESYTY NIKQTVEDEK LRGKISEQDK NKILDKCQEV INWLDRNQMA EKDEYEHKQK
	ELERVCNPII SKLYQGGPGG GGSSGGPTIE EVD Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity

	of the protein could make another tag necessary. In case you have a special request, please
	contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein
	fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made
Target Details	
Target:	HSPA2
Alternative Name:	Hspa2 (HSPA2 Products)
Background:	Heat shock-related 70 kDa protein 2 (Heat shock protein 70.2),FUNCTION: Molecular chaperone
	implicated in a wide variety of cellular processes, including protection of the proteome from
	stress, folding and transport of newly synthesized polypeptides, activation of proteolysis of misfolded proteins and the formation and dissociation of protein complexes. Plays a pivotal
	role in the protein quality control system, ensuring the correct folding of proteins, the re-folding
	of misfolded proteins and controlling the targeting of proteins for subsequent degradation. This
	is achieved through cycles of ATP binding, ATP hydrolysis and ADP release, mediated by co-
	chaperones. The affinity for polypeptides is regulated by its nucleotide bound state. In the ATP-

bound form, it has a low affinity for substrate proteins. However, upon hydrolysis of the ATP to

Target Details

ADP, it undergoes a conformational change that increases its affinity for substrate proteins. It goes through repeated cycles of ATP hydrolysis and nucleotide exchange, which permits cycles of substrate binding and release (By similarity). Plays a role in spermatogenesis (PubMed:24557841). In association with SHCBP1L may participate in the maintenance of spindle integrity during meiosis in male germ cells (PubMed:24557841). {ECO:0000250|UniProtKB:P54652, ECO:0000269|PubMed:24557841}.

Molecular Weight:

69.6 kDa

UniProt:

P17156

Application Details

Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for

functional studies yet we cannot offer a guarantee though.

Restrictions:

For Research Use only

12 months

Handling

Expiry Date:

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.