

Datasheet for ABIN7562969 CLK1 Protein (AA 1-483) (His tag)



Overview

Quantity:	1 mg
Target:	CLK1
Protein Characteristics:	AA 1-483
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CLK1 protein is labelled with His tag.

Product Details	
Purpose:	Custom-made recombinant Clk1 Protein expressed in mammalian cells.
Sequence:	MRHSKRTYCP DWDERDWDYG TWRSSSSHKR KKRSHSSARE QKRCRYDHSK TTDSYYLESR
	SINEKAYHSR RYVDEYRNDY MGYEPGHPYG EPGSRYQMHS SKSSGRSGRS SYKSKHRSRH
	HTSQHHSHGK SHRRKRSRSV EDDEEGHLIC QSGDVLSARY EIVDTLGEGA FGKVVECIDH
	KVGGRRVAVK IVKNVDRYCE AAQSEIQVLE HLNTTDPHST FRCVQMLEWF EHRGHICIVF
	ELLGLSTYDF IKENSFLPFR MDHIRKMAYQ ICKSVNFLHS NKLTHTDLKP ENILFVKSDY
	TEAYNPKMKR DERTIVNPDI KVVDFGSATY DDEHHSTLVS TRHYRAPEVI LALGWSQPCD
	VWSIGCILIE YYLGFTVFPT HDSREHLAMM ERILGPLPKH MIQKTRKRRY FHHDRLDWDE
	HSSAGRYVSR RCKPLKEFML SQDAEHELLF DLIGKMLEYD PAKRITLKEA LKHPFFYPLK KHT
	Sequence without tag. The proposed Purification-Tag is based on experiences with the
	expression system, a different complexity of the protein could make another tag necessary.
	In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different

Product Details

	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made
Target Details	
Target:	CLK1
Altarnativa Nama:	
Alternative Name:	Clk1 (CLK1 Products)
Background:	Clk1 (CLK1 Products) Dual specificity protein kinase CLK1 (EC 2.7.12.1) (CDC-like kinase 1) (Protein kinase
	Dual specificity protein kinase CLK1 (EC 2.7.12.1) (CDC-like kinase 1) (Protein kinase
	Dual specificity protein kinase CLK1 (EC 2.7.12.1) (CDC-like kinase 1) (Protein kinase STY),FUNCTION: Dual specificity kinase acting on both serine/threonine and tyrosine-
	Dual specificity protein kinase CLK1 (EC 2.7.12.1) (CDC-like kinase 1) (Protein kinase STY),FUNCTION: Dual specificity kinase acting on both serine/threonine and tyrosine-containing substrates (PubMed:1825055, PubMed:1986248, PubMed:9307018).
	Dual specificity protein kinase CLK1 (EC 2.7.12.1) (CDC-like kinase 1) (Protein kinase STY),FUNCTION: Dual specificity kinase acting on both serine/threonine and tyrosine-containing substrates (PubMed:1825055, PubMed:1986248, PubMed:9307018). Phosphorylates serine- and arginine-rich (SR) proteins of the spliceosomal complex and may be
	Dual specificity protein kinase CLK1 (EC 2.7.12.1) (CDC-like kinase 1) (Protein kinase STY),FUNCTION: Dual specificity kinase acting on both serine/threonine and tyrosine-containing substrates (PubMed:1825055, PubMed:1986248, PubMed:9307018). Phosphorylates serine- and arginine-rich (SR) proteins of the spliceosomal complex and may be a constituent of a network of regulatory mechanisms that enable SR proteins to control RNA
	Dual specificity protein kinase CLK1 (EC 2.7.12.1) (CDC-like kinase 1) (Protein kinase STY),FUNCTION: Dual specificity kinase acting on both serine/threonine and tyrosine-containing substrates (PubMed:1825055, PubMed:1986248, PubMed:9307018). Phosphorylates serine- and arginine-rich (SR) proteins of the spliceosomal complex and may be a constituent of a network of regulatory mechanisms that enable SR proteins to control RNA splicing. Phosphorylates: SRSF1, SRSF3 and PTPN1 (PubMed:8617202, PubMed:9307018).
	Dual specificity protein kinase CLK1 (EC 2.7.12.1) (CDC-like kinase 1) (Protein kinase STY),FUNCTION: Dual specificity kinase acting on both serine/threonine and tyrosine-containing substrates (PubMed:1825055, PubMed:1986248, PubMed:9307018). Phosphorylates serine- and arginine-rich (SR) proteins of the spliceosomal complex and may be a constituent of a network of regulatory mechanisms that enable SR proteins to control RNA splicing. Phosphorylates: SRSF1, SRSF3 and PTPN1 (PubMed:8617202, PubMed:9307018). Regulates the alternative splicing of tissue factor (F3) pre-mRNA in endothelial cells (By
	Dual specificity protein kinase CLK1 (EC 2.7.12.1) (CDC-like kinase 1) (Protein kinase STY),FUNCTION: Dual specificity kinase acting on both serine/threonine and tyrosine-containing substrates (PubMed:1825055, PubMed:1986248, PubMed:9307018). Phosphorylates serine- and arginine-rich (SR) proteins of the spliceosomal complex and may be a constituent of a network of regulatory mechanisms that enable SR proteins to control RNA splicing. Phosphorylates: SRSF1, SRSF3 and PTPN1 (PubMed:8617202, PubMed:9307018). Regulates the alternative splicing of tissue factor (F3) pre-mRNA in endothelial cells (By similarity). {ECO:0000250 UniProtKB:P49759, ECO:0000269 PubMed:1825055,

Target Details UniProt: **Application Details**

P22518

We expect the protein to work for functional studies. As the protein has not been tested for Application Notes: functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months