

Datasheet for ABIN7563023

## CD40 Ligand Protein (CD40LG) (AA 1-260) (His tag)



[Go to Product page](#)

### 3 Images

#### Overview

Quantity:	1 mg
Target:	CD40 Ligand (CD40LG)
Protein Characteristics:	AA 1-260
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD40 Ligand protein is labelled with His tag.

#### Product Details

Purpose:	Made-to-order recombinant Cd40lg Protein expressed in mammalian cells.
Sequence:	<p>MIETYSQPSP RSVATGLPAS MKIFMYLLTV FLITQMIGSV LFAVYLHRRL DKVEEEVNLH</p> <p>EDFVFIKKLK RCNKGEGSLs LLNCEEMRRQ FEDLVKDITL NKEEKKENSF EMQRGDEDPQ</p> <p>IAAHVVSEAN SNAASVLQWA KKGYYTMKSN LVMLENGKQL TVKREGLYYV YTQVTFCsNR</p> <p>EPSSQRPFIV GLWLKPSSGS ERILLKAANT HSSSQLCEQQ SVHLGGVFEL QAGASVFNv</p> <p>TEASQVIHRV GFSSFGLLKL <b>Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</b></p>
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different isoform, please contact us regarding an individual offer.
Characteristics:	<p>Key Benefits:</p> <ul style="list-style-type: none"> <li>Made to order protein - from design to production - by highly experienced protein experts.</li> </ul>

## Product Details

- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made

## Target Details

Target:	CD40 Ligand (CD40LG)
Alternative Name:	Cd40lg ( <a href="#">CD40LG Products</a> )
Background:	<p>CD40 ligand (CD40-L) (T-cell antigen Gp39) (TNF-related activation protein) (TRAP) (Tumor necrosis factor ligand superfamily member 5) (CD antigen CD154) [Cleaved into: CD40 ligand, membrane form, CD40 ligand, soluble form (sCD40L)],FUNCTION: Cytokine that acts as a ligand to CD40/TNFRSF5 (By similarity). Costimulates T-cell proliferation and cytokine production (By similarity). Its cross-linking on T-cells generates a costimulatory signal which enhances the production of IL4 and IL10 in conjunction with the TCR/CD3 ligation and CD28 costimulation (By similarity). Induces the activation of NF-kappa-B (By similarity). Induces the activation of kinases MAPK8 and PAK2 in T-cells (By similarity). Mediates B-cell proliferation in the absence of co-stimulus as well as IgE production in the presence of IL4 (PubMed:1374165). Involved in immunoglobulin class switching (PubMed:1374165).</p> <p>{ECO:0000250 UniProtKB:P29965, ECO:0000269 PubMed:1374165}., FUNCTION: [CD40 ligand, soluble form]: Acts as a ligand for integrins, specifically ITGA5:ITGB1 and ITGAV:ITGB3, both integrins and the CD40 receptor are required for activation of CD40-CD40LG signaling, which have cell-type dependent effects, such as B-cell activation, NF-kappa-B signaling and anti-apoptotic signaling. {ECO:0000250 UniProtKB:P29965}.</p>

## Target Details

Molecular Weight:	29.4 kDa
UniProt:	<a href="#">P27548</a>
Pathways:	<a href="#">NF-kappaB Signaling</a> , <a href="#">Production of Molecular Mediator of Immune Response</a> , <a href="#">Cancer Immune Checkpoints</a>


## Application Details

Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months


## Images



### Protein Structure


**Image 1.** AlphaFold protein structure prediction of Mouse Recombinant Cd40lg Protein, UniprotID P27548





#### Protein Structure

**Image 2.** AlphaFold protein structure prediction of Mouse Recombinant Cd40lg Protein, UniprotID P27548



#### Protein Structure

**Image 3.** AlphaFold protein structure prediction of Mouse Recombinant Cd40lg Protein, UniprotID P27548