

Datasheet for ABIN7563046

5HT1B Receptor Protein (AA 1-386) (His tag)



Overview

Quantity:	1 mg
Target:	5HT1B Receptor (HTR1B)
Protein Characteristics:	AA 1-386
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This 5HT1B Receptor protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)
Product Details	
Purpose:	Custom-made recombinat Htr1b Protein expressed in mammalien cells.
Purpose: Sequence:	Custom-made recombinat Htr1b Protein expressed in mammalien cells. MEEQGIQCAP PPPAASQTGV PLTNLSHNCS ADGYIYQDSI ALPWKVLLVA LLALITLATT
·	· · · · · · · · · · · · · · · · · · ·
<u> </u>	MEEQGIQCAP PPPAASQTGV PLTNLSHNCS ADGYIYQDSI ALPWKVLLVA LLALITLATT
<u> </u>	MEEQGIQCAP PPPAASQTGV PLTNLSHNCS ADGYIYQDSI ALPWKVLLVA LLALITLATT LSNAFVIATV YRTRKLHTPA NYLIASLAVT DLLVSILVMP ISTMYTVTGR WTLGQVVCDF
·	MEEQGIQCAP PPPAASQTGV PLTNLSHNCS ADGYIYQDSI ALPWKVLLVA LLALITLATT LSNAFVIATV YRTRKLHTPA NYLIASLAVT DLLVSILVMP ISTMYTVTGR WTLGQVVCDF WLSSDITCCT ASIMHLCVIA LDRYWAITDA VEYSAKRTPK RAAIMIVLVW VFSISISLPP
·	MEEQGIQCAP PPPAASQTGV PLTNLSHNCS ADGYIYQDSI ALPWKVLLVA LLALITLATT LSNAFVIATV YRTRKLHTPA NYLIASLAVT DLLVSILVMP ISTMYTVTGR WTLGQVVCDF WLSSDITCCT ASIMHLCVIA LDRYWAITDA VEYSAKRTPK RAAIMIVLVW VFSISISLPP FFWRQAKAEE EMLDCFVNTD HVLYTVYSTV GAFYLPTLLL IALYGRIYVE ARSRILKQTP
·	MEEQGIQCAP PPPAASQTGV PLTNLSHNCS ADGYIYQDSI ALPWKVLLVA LLALITLATT LSNAFVIATV YRTRKLHTPA NYLIASLAVT DLLVSILVMP ISTMYTVTGR WTLGQVVCDF WLSSDITCCT ASIMHLCVIA LDRYWAITDA VEYSAKRTPK RAAIMIVLVW VFSISISLPP FFWRQAKAEE EMLDCFVNTD HVLYTVYSTV GAFYLPTLLL IALYGRIYVE ARSRILKQTP NKTGKRLTRA QLITDSPGST SSVTSINSRA PDVPSESGSP VYVNQVKVRV SDALLEKKKL
·	MEEQGIQCAP PPPAASQTGV PLTNLSHNCS ADGYIYQDSI ALPWKVLLVA LLALITLATT LSNAFVIATV YRTRKLHTPA NYLIASLAVT DLLVSILVMP ISTMYTVTGR WTLGQVVCDF WLSSDITCCT ASIMHLCVIA LDRYWAITDA VEYSAKRTPK RAAIMIVLVW VFSISISLPP FFWRQAKAEE EMLDCFVNTD HVLYTVYSTV GAFYLPTLLL IALYGRIYVE ARSRILKQTP NKTGKRLTRA QLITDSPGST SSVTSINSRA PDVPSESGSP VYVNQVKVRV SDALLEKKKL MAARERKATK TLGIILGAFI VCWLPFFIIS LVMPICKDAC WFHMAIFDFF NWLGYLNSLI
·	MEEQGIQCAP PPPAASQTGV PLTNLSHNCS ADGYIYQDSI ALPWKVLLVA LLALITLATT LSNAFVIATV YRTRKLHTPA NYLIASLAVT DLLVSILVMP ISTMYTVTGR WTLGQVVCDF WLSSDITCCT ASIMHLCVIA LDRYWAITDA VEYSAKRTPK RAAIMIVLVW VFSISISLPP FFWRQAKAEE EMLDCFVNTD HVLYTVYSTV GAFYLPTLLL IALYGRIYVE ARSRILKQTP NKTGKRLTRA QLITDSPGST SSVTSINSRA PDVPSESGSP VYVNQVKVRV SDALLEKKKL MAARERKATK TLGIILGAFI VCWLPFFIIS LVMPICKDAC WFHMAIFDFF NWLGYLNSLI NPIIYTMSNE DFKQAFHKLI RFKCAG Sequence without tag. The proposed Purification-Tag is

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	5HT1B Receptor (HTR1B)
Alternative Name:	Htr1b (HTR1B Products)
Background:	5-hydroxytryptamine receptor 1B (5-HT-1B) (5-HT1B) (Serotonin receptor 1B),FUNCTION: G-
	protein coupled receptor for 5-hydroxytryptamine (serotonin). Also functions as a receptor for
	various alkaloids and psychoactive substances. Ligand binding causes a conformation change
	that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the
	activity of down-stream effectors, such as adenylate cyclase. Signaling inhibits adenylate
	cyclase activity. Arrestin family members inhibit signaling via G proteins and mediate activation
	of alternative signaling pathways. Regulates the release of 5-hydroxytryptamine, dopamine and
	acetylcholine in the brain, and thereby affects neural activity, nociceptive processing, pain
	perception, mood and behavior. Besides, plays a role in vasoconstriction of cerebral arteries.
	{ECO:0000269 PubMed:10651141, ECO:0000269 PubMed:1557407,
	ECO:0000269 PubMed:16750486, ECO:0000269 PubMed:8091214,
	ECO:0000269 PubMed:8742487, ECO:0000269 PubMed:9349547}.
Molecular Weight:	43.1 kDa
UniProt:	P28334

Target Details

Pathways:

JAK-STAT Signaling, cAMP Metabolic Process, Regulation of G-Protein Coupled Receptor

Protein Signaling, Feeding Behaviour, S100 Proteins

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
E .	40

12 months