

Datasheet for ABIN7563142
NR5A1 Protein (AA 1-462) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	NR5A1
Protein Characteristics:	AA 1-462
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NR5A1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinat Nr5a1 Protein expressed in mammalian cells.
Sequence:	<p>MDYSYDEDLD ELCPVCGDKV SGYHYGLLTC ESCKGFFKRT VQNNKHYTCT ESQSCKIDKT</p> <p>QRKRCPFGRF QKCLTVGMRL EAVRADRMRG GRNKFGPMYK RDRALKQQKK AQIRANGFKL</p> <p>ETGPPMGVPP PPPPPPDYML PPSLHAPEPK ALVSGPPSGP LGDFGAPSLP MAVPGPHGPL</p> <p>AGYLYPAFSN RTIKSEYPEP YASPPQQPGP PYSYPEPFSG GPNVPELILQ LLQLEPEEDQ</p> <p>VRARIVGCLQ EPAKSRSDQP APFSLLCRMA DQTFISIVDW ARRCMVFKEL EVADQMTLLQ</p> <p>NCWSELLVLD HIYRQVQYGK EDSILLVTGQ EVELSTVAVQ AGSLLHSLVL RAQELVLQLH</p> <p>ALQLDRQEFV CLKFLILFSL DVKFLNNHSL VKDAQEKANA ALLDYTLCHY PHCGDKFQQL</p> <p>LLCLVEVRAL SMQAKEYLYH KHLGNEMPRN NLLIEMLQAK QT Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</p>

Product Details

Characteristics:

Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

NR5A1

Alternative Name:

Nr5a1 ([NR5A1 Products](#))

Background:

Steroidogenic factor 1 (SF-1) (STF-1) (Adrenal 4-binding protein) (Embryonal LTR-binding protein) (ELP) (Embryonal long terminal repeat-binding protein) (Fushi tarazu factor homolog 1) (Nuclear receptor subfamily 5 group A member 1) (Steroid hormone receptor Ad4BP) (Steroid hydroxylase positive regulator),FUNCTION: Transcriptional activator. Seems to be essential for sexual differentiation and formation of the primary steroidogenic tissues. Binds to the Ad4 site found in the promoter region of steroidogenic P450 genes such as CYP11A, CYP11B and CYP21B. Also regulates the AMH/Muellerian inhibiting substance gene as well as the AHCH and STAR genes. 5'-YCAAGGYC-3' and 5'-RRAGGTCA-3' are the consensus sequences for the recognition by NR5A1. The SFPQ-NONO-NR5A1 complex binds to the CYP17 promoter and regulates basal and cAMP-dependent transcriptional activity (By similarity). Transcription repressor of the Moloney leukemia virus long terminal repeat in undifferentiated murine embryonal carcinoma cells. Binds phosphatidylcholine and phospholipids with a phosphatidylinositol (PI) headgroup, in particular phosphatidyl(3,4)bispophosphate,

Target Details

	phosphatidyl(3,5)bisphosphate and phosphatidyl(3,4,5)triphosphate. Activated by the phosphorylation of NR5A1 by HIPK3 leading to increased steroidogenic gene expression upon cAMP signaling pathway stimulation. {ECO:0000250, ECO:0000269 PubMed:17210646, ECO:0000269 PubMed:18988706}.
Molecular Weight:	52.1 kDa
UniProt:	P33242
Pathways:	Nuclear Receptor Transcription Pathway , Steroid Hormone Mediated Signaling Pathway , Maintenance of Protein Location

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months