

Datasheet for ABIN7563176

Fibrillarin Protein (FBL) (AA 1-327) (His tag)



Overview

Quantity:	1 mg
Target:	Fibrillarin (FBL)
Protein Characteristics:	AA 1-327
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Fibrillarin protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Application:	Western Blotting (WB), SDS-PAGE (SDS)
Product Details	
Purpose:	Custom-made recombinat FbI Protein expressed in mammalien cells.
Sequence:	MKPGFSPRGG GFGGRGGFGD RGGRGGGRGG RGGFGGGRGG FGGGGRGGG GGGFRGRGG
	GGGRGGGFQS GGNRGRGGGR GGKRGNQSGK NVMVEPHRHE GVFICRGKED ALVTKNLVPG
	ESVYGEKRVS ISEGDDKIEY RAWNPFRSKL AAAILGGVDQ IHIKPGAKVL YLGAASGTTV
	SHVSDIVGPD GLVYAVEFSH RSGRDLINLA KKRTNIIPVI EDARHPHKYR MLIAMVDVIF
	ADVAQPDQTR IVALNAHTFL RNGGHFVISI KANCIDSTAS AEAVFASEVK KMQQENMKPQ
	EQLTLEPYER DHAVVVGVYR PPPKVKN Sequence without tag. The proposed Purification-Tag
	is based on experiences with the expression system, a different complexity of the protein
	could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target: Fibrillarin (FBL)

Alternative Name:

Fbl (FBL Products)

Background:

RRNA 2'-O-methyltransferase fibrillarin (EC 2.1.1.-) (Histone-glutamine methyltransferase) (Nucleolar protein 1) (U6 snRNA 2'-O-methyltransferase fibrillarin),FUNCTION: S-adenosyl-L-methionine-dependent methyltransferase that has the ability to methylate both RNAs and proteins (PubMed:32017896). Involved in pre-rRNA processing by catalyzing the site-specific 2'-hydroxyl methylation of ribose moieties in pre-ribosomal RNA (By similarity). Site specificity is provided by a guide RNA that base pairs with the substrate (By similarity). Methylation occurs at a characteristic distance from the sequence involved in base pairing with the guide RNA (By similarity). Probably catalyzes 2'-O-methylation of U6 snRNAs in box C/D RNP complexes (PubMed:32017896). U6 snRNA 2'-O-methylation is required for mRNA splicing fidelity (PubMed:32017896). Also acts as a protein methyltransferase by mediating methylation of 'GIn-105' of histone H2A (H2AQ104me), a modification that impairs binding of the FACT complex and is specifically present at 35S ribosomal DNA locus (By similarity). Part of the small subunit (SSU) processome, first precursor of the small eukaryotic ribosomal subunit. During the assembly of the SSU processome in the nucleolus, many ribosome biogenesis factors, an RNA chaperone and ribosomal proteins associate with the nascent pre-rRNA and work in concert to

Target Details

Expiry Date:

12 months

	generate RNA folding, modifications, rearrangements and cleavage as well as targeted degradation of pre-ribosomal RNA by the RNA exosome (By similarity). {ECO:0000250 UniProtKB:P15646, ECO:0000250 UniProtKB:P22087, ECO:0000269 PubMed:32017896}.
Molecular Weight:	34.3 kDa
UniProt:	P35550
Pathways:	Ribonucleoside Biosynthetic Process
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.