

Datasheet for ABIN7563274

CDKN1B Protein (AA 1-197) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	CDKN1B
Protein Characteristics:	AA 1-197
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CDKN1B protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinat Cdkn1b Protein expressed in mammalian cells.
Sequence:	<p>MSNVRVSN GS PSLERMDARQ AEHPKPSACR NLFGPVNHEE LTRDLEKHCR DMEEASQRKW NFD FQN HKPL EGRYEWQVE RGSLPEFYR PPRPPKSACK VLAQESQDVS GSRQAVPLIG SQANSEDRHL VDQMPDSSDN PAGLAEQCPG MRKRPAEDS SSQNK RANRT EENVSDGSPN AGTVEQTPKK PGLRRQT Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</p>
Characteristics:	<p>Key Benefits:</p> <ul style="list-style-type: none"> • Made to order protein - from design to production - by highly experienced protein experts. • Protein expressed in mammalian cells and purified in one-step affinity chromatography • The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.

Product Details

- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made

Target Details

Target:	CDKN1B
Alternative Name:	Cdkn1b (CDKN1B Products)
Background:	<p>Cyclin-dependent kinase inhibitor 1B (Cyclin-dependent kinase inhibitor p27) (p27Kip1),FUNCTION: Important regulator of cell cycle progression (PubMed:8033213, PubMed:12972555). Inhibits the kinase activity of CDK2 bound to cyclin A, but has little inhibitory activity on CDK2 bound to SPDYA (By similarity). Involved in G1 arrest. Potent inhibitor of cyclin E- and cyclin A-CDK2 complexes (PubMed:8033213). Forms a complex with cyclin type D-CDK4 complexes and is involved in the assembly, stability, and modulation of CCND1-CDK4 complex activation. Acts either as an inhibitor or an activator of cyclin type D-CDK4 complexes depending on its phosphorylation state and/or stoichiometry.</p> <p>{ECO:0000250 UniProtKB:P46527, ECO:0000269 PubMed:12093740, ECO:0000269 PubMed:12972555, ECO:0000269 PubMed:15528185, ECO:0000269 PubMed:20228253, ECO:0000269 PubMed:8033213, ECO:0000269 PubMed:9399644}.</p>
Molecular Weight:	22.2 kDa
UniProt:	P46414
Pathways:	Cell Division Cycle , Fc-epsilon Receptor Signaling Pathway , EGFR Signaling Pathway , Neurotrophin Signaling Pathway , Positive Regulation of Peptide Hormone Secretion , Negative

Target Details

Regulation of Hormone Secretion, Sensory Perception of Sound, Mitotic G1-G1/S Phases, DNA Replication, Positive Regulation of Endopeptidase Activity, Synthesis of DNA, Autophagy

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months