

Datasheet for ABIN7563314 **ABCD1 Protein (AA 1-736) (His tag)**



Overview

Quantity:	1 mg
Target:	ABCD1
Protein Characteristics:	AA 1-736
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ABCD1 protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant Abcd1 Protein expressed in mammalian cells.
Sequence:	MPVLSTPRPS RVTTLKRTAV VLALTAYGVH KIYPLVRQCL TPARGPQVPA GEPTQEASGA
	TATKAGMNRV FLQRLLALLR LLFPRVLCRE TGLLALHSAA LVSRTFLSVY VARLDGRLAR
	CIVRKDPRAF SWQLLQWLLI ALPATFINSA IRYLEGQLAL SFRSRLVAHA YGLYFSQQTY
	YRVSNMDGRL RNPDQSLTED VVAFAASVAH LYSNLTKPLL DVAVTSYTLL RAARSRGAGT
	AWPSAIAGLV VFLTANVLRA FSPKFGELVA EEARRKGELR YMHSRVVANS EEIAFYGGHE
	VELALLQHSY QDLASQINLI LLERLWYVML EQFLMKYVWS ASGLLMVAVP IITATGYAES
	DSEAMKKAAL EMKEEELVSE RTEAFTIARN LLTAAADATE RIMSSYKEVT ELAGYTARVY
	EMFQVFEDVK HCRFKRTGDL EEAQAGPGVM VQSGVHVEGP LKIQGQVVDV EQGIICENIP
	IITPTGEVVV ASLNIRVEEG MHLLITGPNG CGKSSLFRIL GGLWPTYSGV LYKPPPQRMF
	YIPQRPYMSV GSLRDQVIYP DSAEDMRRKG CSEQQLEAIL GIVHLRHILQ REGGWEAVCD
	WKDVLSGGEK QRIGMARMFY HRPKYALLDE CTSAVSIDVE GKIFQAAKDA GIALLSITHR
	PSLWKYHTHL LQFDGEGGWK FEKLDSAARL SLTEEKQRLE QQLAGIPKMQ GRLQELRQIL

	GEAAAPVQPL VPGVPT Sequence without tag. The proposed Purification-Tag is based on
	experiences with the expression system, a different complexity of the protein could make
	another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC
Grade:	custom-made
Target Details	
Target:	ABCD1
Alternative Name:	Abcd1 (ABCD1 Products)
Background:	ATP-binding cassette sub-family D member 1 (EC 3.1.2) (EC 7.6.2) (Adrenoleukodystrophy protein) (ALDP),FUNCTION: ATP-dependent transporter of the ATP-binding cassette (ABC) family involved in the transport of very long chain fatty acid (VLCFA)-CoA from the cytosol to the peroxisome lumen. Has fatty acyl-CoA thioesterase (ACOT) and ATPase activities. Coupled to the ATP-dependent transporter activity has also a fatty acyl-CoA thioesterase activity (ACOT) and hydrolyzes VLCFA-CoA into VLCFA prior their ATP-dependent transport into peroxisomes,

regulation of VLCFAs and energy metabolism namely, in the degradation and biosynthesis of

fatty acids by beta-oxidation, mitochondrial function and microsomal fatty acid elongation (PubMed:9126326, PubMed:9418970, PubMed:9256488, PubMed:18854420, PubMed:23123468, PubMed:23604518, PubMed:25255441, PubMed:25583114, PubMed:26108493). Involved in several processes, namely, controls the active myelination phase by negatively regulating the microsomal fatty acid elongation activity and may also play a role in axon and myelin maintenance (PubMed:11875044, PubMed:15489218, PubMed:26108493). Controls also the cellular response to oxidative stress by regulating mitochondrial functions such as mitochondrial oxidative phosphorylation and depolarization (PubMed:18344354, PubMed:22521832, PubMed:23604518, PubMed:25583114). And finally controls the inflammatory response by positively regulating peroxisomal beta-oxidation of VLCFAs (PubMed:18723473). {ECO:0000269|PubMed:15489218, ECO:0000269|PubMed:18344354, ECO:0000269|PubMed:18723473, ECO:0000269|PubMed:18854420, ECO:0000269|PubMed:22521832,

ECO:0000269|PubMed:11873044, ECO:0000269|PubMed:13489218, ECO:0000269|PubMed:188344354, ECO:0000269|PubMed:18723473, ECO:0000269|PubMed:18854420, ECO:0000269|PubMed:22521832, ECO:0000269|PubMed:23123468, ECO:0000269|PubMed:23604518, ECO:0000269|PubMed:25255441, ECO:0000269|PubMed:25583114, ECO:0000269|PubMed:26108493, ECO:0000269|PubMed:9126326,

Molecular Weight: 81.9 kDa
UniProt: P48410

ECO:0000269|PubMed:9256488, ECO:0000269|PubMed:9418970}.

Pathways: Monocarboxylic Acid Catabolic Process

Application Details

Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Handling

Storage Comment:	Store at -80°C.
Expiry Date:	12 months