

Datasheet for ABIN7563444 **DNAJC2 Protein (AA 1-621) (His tag)**



Overview

Quantity:	1 mg
Target:	DNAJC2
Protein Characteristics:	AA 1-621
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DNAJC2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Purpose:	Custom-made recombinat Dnajc2 Protein expressed in mammalien cells.
Sequence:	MLLLPSAAEG QGTAITHALT SASSVCQVEP VGRWFEAFVK RRNRNASTSF QELEDKKELS
	EESEDEELQL EEFPMLKTLD PKDWKNQDHY AVLGLGHVRY TATQRQIKAA HKAMVLKHHP
	DKRKAAGEPI KEGDNDYFTC ITKAYEMLSD PVKRRAFNSV DPTFDNSVPS KSEAKDNFFQ
	VFSPVFERNS RWSNKKNVPK LGDMNSSFED VDAFYSFWYN FDSWREFSYL DEEEKEKAEC
	RDERKWIEKQ NRATRAQRKK EEMNRIRTLV DNAYSCDPRI KKFKEEEKAK KEAEKKAKAE
	ARRKEQEAKE KQRQAELEAV RLAKEKEEEE VRQQALLAKK EKDIQKKAIK KERQKLRNSC
	KSWNHFSDNE ADRVKMMEEV EKLCDRLELA SLQGLNEILA SSTREVGKAA LEKQIEEVNE
	QMRREKEEAD ARMRQASKNA EKSTGGSGSG SKNWSEDDLQ LLIKAVNLFP AGTNSRWEVI
	ANYMNIHSSS GVKRTAKDVI SKAKSLQKLD PHQKDDINKK AFDKFKKEHG VASQADSAAP
	SERFEGPCID STPWTTEEQK LLEQALKTYP VNTPERWEKI AEAVPGRTKK DCMRRYKELV
	EMVKAKKAAQ EQVLNASRAR K Sequence without tag. The proposed Purification-Tag is

Product Details	
	based on experiences with the expression system, a different complexity of the protein
	could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalien cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made
Target Details	
Target:	DNAJC2
Alternative Name:	Dnajc2 (DNAJC2 Products)
Background:	DnaJ homolog subfamily C member 2 (Mouse Id associate 1) (MIDA1) (Zuotin-related factor
	1) FUNCTION: Acta both as a changraph in the outgood and as a chromatin regulator in the

Alternative Name:	Dnajc2 (DNAJC2 Products)
Background:	DnaJ homolog subfamily C member 2 (Mouse Id associate 1) (MIDA1) (Zuotin-related factor
	1),FUNCTION: Acts both as a chaperone in the cytosol and as a chromatin regulator in the
	nucleus. When cytosolic, acts as a molecular chaperone: component of the ribosome-
	associated complex (RAC), a complex involved in folding or maintaining nascent polypeptides
	in a folding-competent state. In the RAC complex, stimulates the ATPase activity of the
	ribosome-associated pool of Hsp70-type chaperones HSPA14 that bind to the nascent
	polypeptide chain. When nuclear, mediates the switching from polycomb-repressed genes to an
	active state: specifically recruited at histone H2A ubiquitinated at 'Lys-119' (H2AK119ub), and
	promotes the displacement of the polycomb PRC1 complex from chromatin, thereby facilitating
	transcription activation. {ECO:0000250 UniProtKB:Q99543}.
Molecular Weight:	71.7 kDa

Target Details

Storage Comment:

Expiry Date:

Store at -80°C.

12 months

- arget Betane	
UniProt:	P54103
Pathways:	Chromatin Binding
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C