

Datasheet for ABIN7563456
CXCR7 Protein (AA 1-362) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	CXCR7
Protein Characteristics:	AA 1-362
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CXCR7 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinant Akr3 Protein expressed in mammalian cells.
Sequence:	<p>MDVHLFDYAE PGNYSINWP CNSSDCIVVD TVQCPTMPNK NVLLYTLSFI YIFIVIGMI ANSVVVWVNI QAKTTGYDTH CYILNLAIAD LWWVITIPVW VVSLVQHNQW PMGELTCKIT HLIFSINLFG SIFFLACMSV DRYLSITYFT GTSSYKKKMV RRVVCILVWL LAFFVSLPDT YYLKTVTSAS NNETYCRSFY PEHSIKEWLI GMELVSVILG FAVPFTIIAI FYLLARAMS ASGDQEKHSS RKIIFSYYVV FLVCWLPHYF VLLDIFSIL HYIPFTCQLE NVLFTALHVT QCLSLVHCCV NPVLYSFNR NYRYELMKAF IFKYSKTGL TKLIDASRV ETEYSALEQN TK</p> <p>Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</p>
Characteristics:	Key Benefits:

Product Details

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
---------	---

Grade:	custom-made
--------	-------------

Target Details

Target:	CXCR7
---------	-------

Alternative Name:	Ackr3 (CXCR7 Products)
-------------------	--

Background:	<p>Atypical chemokine receptor 3 (C-X-C chemokine receptor type 7) (CXC-R7) (CXCR-7) (Chemokine orphan receptor 1) (G-protein coupled receptor RDC1 homolog) (RDC-1), FUNCTION: Atypical chemokine receptor that controls chemokine levels and localization via high-affinity chemokine binding that is uncoupled from classic ligand-driven signal transduction cascades, resulting instead in chemokine sequestration, degradation, or transcytosis. Also known as interceptor (internalizing receptor) or chemokine-scavenging receptor or chemokine decoy receptor. Acts as a receptor for chemokines CXCL11 and CXCL12/SDF1. Chemokine binding does not activate G-protein-mediated signal transduction but instead induces beta-arrestin recruitment, leading to ligand internalization and activation of MAPK signaling pathway. Required for regulation of CXCR4 protein levels in migrating interneurons, thereby adapting their chemokine responsiveness. In glioma cells, transduces signals via MEK/ERK pathway, mediating resistance to apoptosis. Promotes cell growth and survival. Not involved in cell migration, adhesion or proliferation of normal hematopoietic progenitors but activated by CXCL11 in malignant hematopoietic cells, leading to phosphorylation of ERK1/2</p>
-------------	---

Target Details

(MAPK3/MAPK1) and enhanced cell adhesion and migration. Plays a regulatory role in CXCR4-mediated activation of cell surface integrins by CXCL12. Required for heart valve development. Regulates axon guidance in the oculomotor system through the regulation of CXCL12 levels (PubMed:31211835). {ECO:0000269|PubMed:17804806, ECO:0000269|PubMed:18442043, ECO:0000269|PubMed:20161793, ECO:0000269|PubMed:21220100, ECO:0000269|PubMed:21246655, ECO:0000269|PubMed:31211835}.

Molecular Weight:	41.6 kDa
UniProt:	P56485
Pathways:	Myometrial Relaxation and Contraction , Negative Regulation of intrinsic apoptotic Signaling

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months