

# Datasheet for ABIN7563457 **TDG Protein (AA 1-421) (His tag)**



### Overview

Quantity:	1 mg
Target:	TDG
Protein Characteristics:	AA 1-421
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TDG protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

## **Product Details**

Purpose:	Custom-made recombinat Tdg Protein expressed in mammalien cells.
Sequence:	MDAEAARSYS LEQVQALYSF PFQQMMAEVP NMAVTTGQQV PAVAPNMATV TEQQVPEDAP
	VQEPAPEAPK RRKRKPRAAE PQEPVEPKKP ATSKKSGKST KSKEKQEKIT DAFKVKRKVD
	RFNGVSEAEL LTKTLPDILT FNLDIVIIGI NPGLMAAYKG HHYPGPGNHF WKCLFMSGLS
	EVQLNHMDDH TLPGKYGIGF TNMVERTTPG SKDLSSKEFR EGGRILVQKL QKYQPRIAVF
	NGKCIYEIFS KEVFGVKVKN LEFGLQPHKI PDTETLCYVM PSSSARCAQF PRAQDKVHYY
	IKLKDLRDQL KGIERNADVQ EVQYTFDLQL AQEDAKKMAV KEEKYDPGYE AAYGGAYGEN
	PCNGEPCGIA SNGLTAHSAE PRGEAAPSDV PNGQWMAQSF AEQIPSFNNC GTREQEEESH A
	Sequence without tag. The proposed Purification-Tag is based on experiences with the
	expression system, a different complexity of the protein could make another tag necessary.
	In case you have a special request, please contact us.
Characteristics:	Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

### **Target Details**

Target:

TDG

Alternative Name:

Tdg (TDG Products)

Background:

G/T mismatch-specific thymine DNA glycosylase (EC 3.2.2.29) (C-JUN leucine zipper interactive protein JZA-3) (Thymine-DNA glycosylase), FUNCTION: DNA glycosylase that plays a key role in active DNA demethylation: specifically recognizes and binds 5-formylcytosine (5fC) and 5-carboxylcytosine (5caC) in the context of CpG sites and mediates their excision through base-excision repair (BER) to install an unmethylated cytosine (PubMed:21817016). Cannot remove 5-hydroxymethylcytosine (5hmC). According to an alternative model, involved in DNA demethylation by mediating DNA glycolase activity toward 5-hydroxymethyluracil (5hmU) produced by deamination of 5hmC (PubMed:21722948). Also involved in DNA repair by acting as a thymine-DNA glycosylase that mediates correction of G/T mispairs to G/C pairs: in the DNA of higher eukaryotes, hydrolytic deamination of 5-methylcytosine to thymine leads to the formation of G/T mismatches. Its role in the repair of canonical base damage is however minor compared to its role in DNA demethylation. It is capable of hydrolyzing the carbon-nitrogen bond between the sugar-phosphate backbone of the DNA and a mispaired thymine. In addition to the G/T, it can remove thymine also from C/T and T/T mispairs in the order G/T >> C/T >

# **Target Details**

Expiry Date:

12 months

rarget betails	
	T/T. It has no detectable activity on apyrimidinic sites and does not catalyze the removal of thymine from A/T pairs or from single-stranded DNA. It can also remove uracil and 5-bromouracil from mispairs with guanine. {ECO:0000269 PubMed:21278727, ECO:0000269 PubMed:21722948, ECO:0000269 PubMed:21817016}.
Molecular Weight:	46.9 kDa
UniProt:	P56581
Pathways:	DNA Damage Repair, Chromatin Binding
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.