

Datasheet for ABIN7563501  
**RBX1 Protein (AA 1-108) (His tag)**



[Go to Product page](#)

## Overview

Quantity:	1 mg
Target:	RBX1
Protein Characteristics:	AA 1-108
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RBX1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

## Product Details

Purpose:	Custom-made recombinat Rbx1 Protein expressed in mammalien cells.
Sequence:	MAAAMDVDTP SGTNSGAGKK RFEVKKWNAV ALWAWDIVVD NCAICRNHIM DLCIECQANQ ASATSEECTV AWGVCNHAFH FHCISRWLKT RQVCPLDNRE WEFQKYGH <b>Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</b>
Characteristics:	<p>Key Benefits:</p> <ul style="list-style-type: none"> <li>• Made to order protein - from design to production - by highly experienced protein experts.</li> <li>• Protein expressed in mammalien cells and purified in one-step affinity chromatography</li> <li>• The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.</li> <li>• State-of-the-art algorithm used for plasmid design (Gene synthesis).</li> </ul>

## Product Details

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity: > 90 % as determined by Bis-Tris Page, Western Blot

Grade: custom-made

## Target Details

Target: RBX1

Alternative Name: Rbx1 ([RBX1 Products](#))

Background: E3 ubiquitin-protein ligase RBX1 (EC 2.3.2.27) (EC 2.3.2.32) (E3 ubiquitin-protein transferase RBX1) (RING finger protein 75) (RING-box protein 1) (Rbx1) [Cleaved into: E3 ubiquitin-protein ligase RBX1, N-terminally processed],FUNCTION: E3 ubiquitin ligase component of multiple cullin-RING-based E3 ubiquitin-protein ligase (CRLs) complexes which mediate the ubiquitination and subsequent proteasomal degradation of target proteins, including proteins involved in cell cycle progression, signal transduction, transcription and transcription-coupled nucleotide excision repair (PubMed:22118460, PubMed:33590678). CRLs complexes and ARIH1 collaborate in tandem to mediate ubiquitination of target proteins, ARIH1 mediating addition of the first ubiquitin on CRLs targets (By similarity). The functional specificity of the E3 ubiquitin-protein ligase complexes depends on the variable substrate recognition components (By similarity). As a component of the CSA complex promotes the ubiquitination of ERCC6 resulting in proteasomal degradation (By similarity). Through the RING-type zinc finger, seems to recruit the E2 ubiquitination enzyme, like CDC34, to the complex and brings it into close proximity to the substrate (By similarity). Probably also stimulates CDC34 autoubiquitination (By similarity). May be required for histone H3 and histone H4 ubiquitination in response to ultraviolet and for subsequent DNA repair (By similarity). Promotes the neddylation of CUL1, CUL2, CUL4 and CUL4 via its interaction with UBE2M (By similarity). Involved in the ubiquitination of KEAP1, ENC1 and KLHL41 (By similarity). In concert with ATF2 and CUL3, promotes degradation of KAT5 thereby attenuating its ability to acetylate and activate ATM (By

## Target Details

	similarity). As part of a multisubunit complex composed of elongin BC complex (ELOB and ELOC), elongin A/ELOA, RBX1 and CUL5, polyubiquitinates monoubiquitinated POLR2A (By similarity). {ECO:0000250 UniProtKB:P62877, ECO:0000269 PubMed:22118460, ECO:0000269 PubMed:33590678}.
Molecular Weight:	12.3 kDa
UniProt:	<a href="#">P62878</a>
Pathways:	<a href="#">Cell Division Cycle</a> , <a href="#">M Phase</a> , <a href="#">SARS-CoV-2 Protein Interactome</a>

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months