

Datasheet for ABIN7563554
Aurora A Protein (AA 1-395) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	Aurora A (AURKA)
Protein Characteristics:	AA 1-395
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Aurora A protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant Aurka Protein expressed in mammalian cells.
Sequence:	MDRCKENCVS RPVKTTVPFG PKRVLVTEQI PSQNLGSASS GQAQRVLCPS NSQRVPSQAQ KLGAGQKPAP KQLPAASVPR PVSRLNNPQK NEQPAASGND SEKEQASLQK TEDTKKRQWT LEDFDIGRPL GKGKFGNVYL ARERQSKFIL ALKVLFKTQL EKANVEHQLR REVEIQSHLR HPNILRLYGY FHDATRVYLI LEYAPLGTVY RELQKLSKFD EQRTATYITE LANALSYCHS KRVIHRDIKP ENLLLGSNGE LKIADFGWSV HAPSSRRTM CGTLDYLPPE MIEGRMHDEK VDLWSLGVLC YEFLVGMPPF EAHTYQETYR RISRVEFTFP DFVTEGARDL ISRLLKHNAS QRLTLAEVLE HPWIKANSSK PPTGHTSKEP TSKSS Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different isoform, please contact us regarding an individual offer.

Product Details

Characteristics:

Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade:

custom-made

Target Details

Target:

Aurora A (AURKA)

Alternative Name:

Aurka ([AURKA Products](#))

Background:

Aurora kinase A (EC 2.7.11.1) (Aurora 2) (Aurora/IPL1-related kinase 1) (ARK-1) (Aurora-related kinase 1) (Ipl1- and aurora-related kinase 1) (Serine/threonine-protein kinase 15) (Serine/threonine-protein kinase 6) (Serine/threonine-protein kinase Ayk1) (Serine/threonine-protein kinase aurora-A),FUNCTION: Mitotic serine/threonine kinase that contributes to the regulation of cell cycle progression (By similarity). Associates with the centrosome and the spindle microtubules during mitosis and plays a critical role in various mitotic events including the establishment of mitotic spindle, centrosome duplication, centrosome separation as well as maturation, chromosomal alignment, spindle assembly checkpoint, and cytokinesis (PubMed:9245792, PubMed:19075002). Required for normal spindle positioning during mitosis and for the localization of NUMA1 and DCTN1 to the cell cortex during metaphase (By similarity). Required for initial activation of CDK1 at centrosomes (By similarity). Phosphorylates numerous target proteins, including ARHGEF2, BORA, BRCA1, CDC25B, DLGP5, HDAC6, KIF2A, LATS2, NDEL1, PARD3, PPP1R2, PLK1, RASSF1, TACC3, p53/TP53 and TPX2 (By similarity).

Target Details

Regulates KIF2A tubulin depolymerase activity (By similarity). Required for normal axon formation (By similarity). Plays a role in microtubule remodeling during neurite extension (PubMed:19668197). Important for microtubule formation and/or stabilization (By similarity). Also acts as a key regulatory component of the p53/TP53 pathway, and particularly the checkpoint-response pathways critical for oncogenic transformation of cells, by phosphorylating and destabilizing p53/TP53 (By similarity). Phosphorylates its own inhibitors, the protein phosphatase type 1 (PP1) isoforms, to inhibit their activity (By similarity). Inhibits cilia outgrowth (By similarity). Required for cilia disassembly via phosphorylation of HDAC6 and subsequent deacetylation of alpha-tubulin (PubMed:20643351). Regulates protein levels of the anti-apoptosis protein BIRC5 by suppressing the expression of the SCF(FBXL7) E3 ubiquitin-protein ligase substrate adapter FBXL7 through the phosphorylation of the transcription factor FOXP1 (By similarity). {ECO:0000250|UniProtKB:A0A8I3S724, ECO:0000250|UniProtKB:O14965, ECO:0000269|PubMed:19075002, ECO:0000269|PubMed:19668197, ECO:0000269|PubMed:20643351, ECO:0000269|PubMed:9245792}.

Molecular Weight: 44.8 kDa

UniProt: [P97477](#)

Pathways: [Cell Division Cycle](#), [Asymmetric Protein Localization](#)

Application Details

Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months