

Datasheet for ABIN7563816

TAO Kinase 1 (TAOK1) (AA 1-1001) protein (His tag)



Overview

Quantity:	1 mg
Target:	TAO Kinase 1 (TAOK1)
Protein Characteristics:	AA 1-1001
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	His tag

Product Details

Purpose:	Custom-made recombinant Taok1 Protein expressed in mammalian cells.
Sequence:	MPSTNRAGSL KDPEIAELFF KEDPEKLFTD LREIGHGSFG AVYFARDVRT NEVVAIKKMS
	YSGKQSTEKW QDIIKEVKFL QRIKHPNSIE YKGCYLREHT AWLVMEYCLG SASDLLEVHK
	KPLQEVEIAA ITHGALQGLA YLHSHTMIHR DIKAGNILLT EPGQVKLADF GSASMASPAN
	SFVGTPYWMA PEVILAMDEG QYDGKVDVWS LGITCIELAE RKPPLFNMNA MSALYHIAQN
	ESPTLQSNEW SDYFRNFVDS CLQKIPQDRP TSEELLKHMF VLRERPETVL IDLIQRTKDA
	VRELDNLQYR KMKKLLFQEA HNGPAVEAQE EEEEQDHGVG RTGTVNSVGS NQSIPSMSIS
	ASSQSSSVNS LPDASDDKSE LDMMEGDHTV MSNSSVIHLK PEEENYQEEG DPRTRASDPQ
	SPPQVSRHKS HYRNREHFAT IRTASLVTRQ MQEHEQDSEL REQMSGYKRM RRQHQKQLMT
	LENKLKAEMD EHRLRLDKDL ETQRNNFAAE MEKLIKKHQA AMEKEAKVMA NEEKKFQQHI
	QAQQKKELNS FLESQKREYK LRKEQLKEEL NENQSTPKKE KQEWLSKQKE NIQHFQAEEE
	ANLLRRQRQY LELECRRFKR RMLLGRHNLE QDLVREELNK RQTQKDLEHA MLLRQHESMQ
	ELEFRHLNTI QKMRCELIRL QHQTELTNQL EYNKRREREL RRKHVMEVRQ QPKSLKSKEL

QIKKQFQDTC KIQTRQYKAL RNHLLETTPK SEHKAVLKRL KEEQTRKLAI LAEQYDHSIN

EMLSTQALRL DEAQEAECQV LKMQLQQELE LLNAYQSKIK MQAEAQHDRE LRELEQRVSL

RRALLEQKIE EEMLALQNER TERIRSLLER QAREIEAFDS ESMRLGFSNM VLSNLSPEAF

SHSYPGASSW SHNPTGGPGP HWGHPMGGTP QAWGHPMQGG PQPWGHPSGP

MQGVPRGSSM GVRNSPQALR RTASGGRTEQ GMSRSTSVTS QISNGSHMSY T Sequence

without tag. The proposed Purification-Tag is based on experiences with the expression

system, a different complexity of the protein could make another tag necessary. In case you

have a special request, please contact us.

Specificity:

If you are looking for a specific domain and are interested in a partial protein or a different isoform, please contact us regarding an individual offer.

Characteristics:

Key Benefits:

- Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade:

custom-made

Target Details

Target:	TAO Kinase 1 (TAOK1)
Alternative Name:	Taok1 (TAOK1 Products)
Background:	Serine/threonine-protein kinase TAO1 (EC 2.7.11.1) (Thousand and one amino acid protein 1),FUNCTION: Serine/threonine-protein kinase involved in various processes such as
	p38/MAPK14 stress-activated MAPK cascade, DNA damage response and regulation of

cytoskeleton stability. Phosphorylates MAP2K3, MAP2K6 and MARK2. Acts as an activator of the p38/MAPK14 stress-activated MAPK cascade by mediating phosphorylation and subsequent activation of the upstream MAP2K3 and MAP2K6 kinases. Involved in G-protein coupled receptor signaling to p38/MAPK14. In response to DNA damage, involved in the G2/M transition DNA damage checkpoint by activating the p38/MAPK14 stress-activated MAPK cascade, probably by mediating phosphorylation of MAP2K3 and MAP2K6. Acts as a regulator of cytoskeleton stability by phosphorylating 'Thr-208' of MARK2, leading to activate MARK2 kinase activity and subsequent phosphorylation and detachment of MAPT/TAU from microtubules. Also acts as a regulator of apoptosis: regulates apoptotic morphological changes, including cell contraction, membrane blebbing and apoptotic bodies formation via activation of the MAPK8/JNK cascade (By similarity). During fetal development, it plays an essential role in the regulation of neuronal differentiation and migration to the cortical plate (PubMed:33565190). {ECO:0000250, ECO:0000269|PubMed:33565190}.

Molecular Weight:

116.1 kDa

UniProt:

Q5F2E8

Application Details

Application Notes:

We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months