

Datasheet for ABIN7563870 NR1D2 Protein (AA 1-576) (His tag)



Overview

Quantity:	1 mg
Target:	NR1D2
Protein Characteristics:	AA 1-576
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NR1D2 protein is labelled with His tag.

Product Details

Product Details	
Purpose:	Custom-made recombinant Nr1d2 Protein expressed in mammalian cells.
Sequence:	MELNAGGVIA YISSSSSASS PASCHSEGSE NSFQSSSSSV PSSPNSSNCD ANGNPKNADI
	SSIDGVLKSD RTDCPVKTGK TSAPGMTKSH SGMTKFSGMV LLCKVCGDVA SGFHYGVHAC
	EGCKGFFRRS IQQNIQYKKC LKNENCSIMR MNRNRCQQCR FKKCLSVGMS RDAVRFGRIP
	KREKQRMLIE MQSAMKTMMN TQFSGHLQND TLAEQHDQSA LPAQEQLRPK SQLEQENIKN
	TPSDFAKEEV IGMVTRAHKD TFLYNQEHRE NSSESMPPQR GERIPRNMEQ YNLNQDHRGS
	GIHNHFPCSE RQQHLSGQYK GRNIMHYPNG HAVCIANGHC MNFSSAYTQR VCDRIPVGGC
	SQTENRNSYL CNTGGRMHLV CPMSKSPYVD PQKSGHEIWE EFSMSFTPAV KEVVEFAKRI
	PGFRDLSQHD QVNLLKAGTF EVLMVRFASL FDAKERTVTF LSGKKYSVDD LHSMGAGDLL
	SSMFEFSEKL NALQLSDEEM SLFTAVVLVS ADRSGIENVN SVEALQETLI RALRTLIMKN
	HPNEASIFTK LLLKLPDLRS LNNMHSEELL AFKVHP Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity
	of the protein could make another tag necessary. In case you have a special request, please

Product Details

	contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPL
Grade:	custom-made
Target Details	
Target:	NR1D2
Alternative Name:	Nr1d2 (NR1D2 Products)
Background:	Nuclear receptor subfamily 1 group D member 2 (Orphan nuclear receptor RVR) (Rev-erb-
	beta),FUNCTION: Transcriptional repressor which coordinates circadian rhythm and metaboli pathways in a heme-dependent manner. Integral component of the complex transcription
	machinery that governs circadian rhythmicity and forms a critical negative limb of the circadian
	clock by directly repressing the expression of core clock components BMAL1 and CLOCK. Als
	regulates genes involved in metabolic functions, including lipid metabolism and the
	regulates genes involved in metabolic functions, including lipid metabolism and the inflammatory response. Acts as a receptor for heme which stimulates its interaction with the

classes of DNA response elements within the promoter of its target genes and can bind to DNA

as either monomers or homodimers, depending on the nature of the response element. Binds

as a monomer to a response element composed of the consensus half-site motif 5'-[A/G]GGTCA-3' preceded by an A/T-rich 5' sequence (RevRE), or as a homodimer to a direct repeat of the core motif spaced by two nuclegotides (RevDR-2). Acts as a potent competitive repressor of ROR alpha (RORA) function and also negatively regulates the expression of NR1D1. Regulates lipid and energy homeostasis in the skeletal muscle via repression of genes involved in lipid metabolism and myogenesis including: CD36, FABP3, FABP4, UCP3, SCD1 and MSTN. Regulates hepatic lipid metabolism via the repression of APOC3. Represses gene expression at a distance in macrophages by inhibiting the transcription of enhancer-derived RNAs (eRNAs). In addition to its activity as a repressor, can also act as a transcriptional activator. Acts as a transcriptional activator of the sterol regulatory element-binding protein 1 (SREBF1) and the inflammatory mediator interleukin-6 (IL6) in the skeletal muscle. Plays a role in the regulation of circadian sleep/wake cycle, essential for maintaining wakefulness during the dark phase or active period (PubMed:29355503). Key regulator of skeletal muscle mitochondrial function, negatively regulates the skeletal muscle expression of core clock genes and genes involved in mitochondrial biogenesis, fatty acid beta-oxidation and lipid metabolism (PubMed:29723273). May play a role in the circadian control of neutrophilic inflammation in the lung (PubMed:29533925). {ECO:0000269|PubMed:15623503, ECO:0000269|PubMed:18454201, ECO:0000269|PubMed:19682428, ECO:0000269|PubMed:22474260, ECO:0000269|PubMed:23221024, ECO:0000269|PubMed:23728303, ECO:0000269|PubMed:29355503, ECO:0000269|PubMed:29533925, ECO:0000269|PubMed:29723273}.

Molecular Weight:	64.3 kDa
UniProt:	Q60674
Pathways:	Nuclear Receptor Transcription Pathway, Steroid Hormone Mediated Signaling Pathway

Pathways:	Nuclear Receptor Transcription Pathway, Steroid Hormone Mediated Signaling Pathway
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.

Handling

Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months