

Datasheet for ABIN7564042

**SMARCA2 Protein (AA 1-1577) (His tag)**[Go to Product page](#)

## Overview

Quantity:	1 mg
Target:	SMARCA2
Protein Characteristics:	AA 1-1577
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SMARCA2 protein is labelled with His tag.

## Product Details

Purpose:	Custom-made recombinant Smarca2 Protein expressed in mammalian cells.
Sequence:	MSTPTDPAAM PHPGSPGPG PSPGPILGPS PGPGSPGSV HSMMGPSPGP PSVSHPLSTM GSADFPQEGM HQLHKPMDGI HDKGIVEDVH CGSMKGTSMR PPHPGMGPPQ SPMDQHSQGY MSPHPSPLGA PEHVSSPTTP QMPPSQPGAL IPGDPQAMNQ PNRGSPFSP VQLHQLRAQI LAYKMLARGQ PLPETLQLAV QGKRTLPGMQ QQQQQQQQQQ QQQQQQQQQQ QQQQPQQPQ QQAQAQPQQQ QQQQQQPALV SYNRPSPGPGQ ELLLSGQSAP QKLSAPAPSG RPSAPQAAV QPTATAVPGP SVQQPAPGQP SPVLQLQQKQ SRISPIQKPK GLDPVEILQE REYRLQARIA HRIQELESPL GSLPPDLRTK ATVELKALRL LNFQRQLRQE VVACMRRDTT LETALNSKAY KRKRQTLRE ARMTEKLEKQ QKIEQERKRR QKHQEYLNLSI LQHAKDFKEY HRSVAGKIQK LSKAVATWHA NTEREQKKET ERIEKERMRR LMAEDEEGYR KLIDQKKDRR LAYLLQQTDE YVANLTLNVW EHKQAQAAKE KKKRRRRKKK AEENAEGGEP ALGPDGEPID ESSQMSDLPV KVTHTETGKV LFGPEAPKAS QLDAWLEMNP GYEVAPRSDS EESESDYEEE DEEEESSRQE TEEKILLDPN SEEVSEKDAK QIIETAKQDV DDEYSMQYSA RGSQSYTVA HAISERVEKQ

SALLINGTLK HYQLQGLEWM VSLYNNNLNG ILADEMGLGK TIQTIALITY LMEHKRLNGP  
YLIIVPLSTL SNWTYEFDKW APSVVKISYK GTPAMRRSLV PQLRSGKFNV LLTTYEYIIK  
DKHILAKIRW KYMIVDEGHR MKNHHCKLTQ VLNTHYVAPR RILLTGTPLO NKLPELWALL  
NFLPTIFKS CSTFEQWFNA PFAMTGERVD LNEEETILII RRLHKVLRPF LLRRLKKEVE  
SQLPEKVEYV IKCDMSALQK ILYRHMQAAG ILLTDGSEKD KKGKGGAKTL MNTIMQLRKI  
CNHPYMFQHI EESFAEHLGY SNGVINGAEL YRASGKFELL DRILPKLRAT NHRVLLFCQM  
TSLMTIMEDY FAFRNFLYLR LDGTTKSEDR AALLKGFNEP GSQYFIFLLS TRAGGLNLN  
QAADTVVIFD SDWNPHQDLQ AQDRAHRIGQ QNEVRVLRCL TVNSVVEEKIL AAKYKLNVD  
QKVIQAGMFD QKSSSHERRA FLQAILEHEE ENEEEDEVPD DETLNQMIAR REEEFDLFMR  
MDMDRRREDA RNPKRKPRLM EDELPSWII KDDAEVERLT CEEEEKIFG RGSQRQRDVD  
YSDALTEKQW LRAIEDGNLE EMEEVRLKK RKRRRNVDKD PVKEDVEKAK KRRGRPPAEK  
LSPNPPKLTQ QMNAIDTVI NYKDSSGRQL SEVFIQLPSR KDLPEYYELI RKPVDFFKIK  
ERIRNHKYRS LGDLEKDVML LCHNAQTFNL EGSQIYEDSI VLQSVFKSAR QKIAKEESEE  
EESNEEEED DEESESEAK SVKVKIKLNK KEEKGRDTGK GKKRPNRGKA KPVVSDFDSD  
EEQEENEQSE ASGTDNE **Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

---

Specificity: If you are looking for a specific domain and are interested in a partial protein or a different isoform, please contact us regarding an individual offer.

---

Characteristics: Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

---

Purity: > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

## Product Details

---

Grade: custom-made

## Target Details

---

Target: SMARCA2

Alternative Name: Smarca2 ([SMARCA2 Products](#))

Background: Probable global transcription activator SNF2L2 (EC 3.6.4.-) (ATP-dependent helicase SMARCA2) (BRG1-associated factor 190B) (BAF190B) (Protein brahma homolog) (SNF2-alpha) (SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily A member 2),FUNCTION: Involved in transcriptional activation and repression of select genes by chromatin remodeling (alteration of DNA-nucleosome topology). Component of SWI/SNF chromatin remodeling complexes that carry out key enzymatic activities, changing chromatin structure by altering DNA-histone contacts within a nucleosome in an ATP-dependent manner. Binds DNA non-specifically (PubMed:22952240, PubMed:26601204). Belongs to the neural progenitors-specific chromatin remodeling complex (npBAF complex) and the neuron-specific chromatin remodeling complex (nBAF complex). During neural development a switch from a stem/progenitor to a postmitotic chromatin remodeling mechanism occurs as neurons exit the cell cycle and become committed to their adult state. The transition from proliferating neural stem/progenitor cells to postmitotic neurons requires a switch in subunit composition of the npBAF and nBAF complexes. As neural progenitors exit mitosis and differentiate into neurons, npBAF complexes which contain ACTL6A/BAF53A and PHF10/BAF45A, are exchanged for homologous alternative ACTL6B/BAF53B and DPF1/BAF45B or DPF3/BAF45C subunits in neuron-specific complexes (nBAF). The npBAF complex is essential for the self-renewal/proliferative capacity of the multipotent neural stem cells. The nBAF complex along with CREST plays a role regulating the activity of genes essential for dendrite growth. {ECO:0000250|UniProtKB:P51531, ECO:0000269|PubMed:17640523, ECO:0000303|PubMed:22952240, ECO:0000303|PubMed:26601204}.

Molecular Weight: 180.3 kDa

UniProt: [Q6DICO](#)

## Application Details

---

Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

## Handling

---

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months