

Datasheet for ABIN7564155 **DSTYK Protein (AA 1-927) (His tag)**



Overview

Quantity:	1 mg
Target:	DSTYK
Protein Characteristics:	AA 1-927
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DSTYK protein is labelled with His tag.

Product Details

1 Todact Details	
Purpose:	Custom-made recombinant Dstyk Protein expressed in mammalian cells.
Sequence:	MEADGQSWAG ESVSGPGPGG GGMIRELCRG FSRYRRYLGR LRQNLRETQK FFRDIKCSHS
	HSCPSSPAGG GAAELGPAGD VAEAPLPAGQ LSCISFPPME ETYLQQLVDR LPCILILGQD
	CNAKCQLLNL LLGVQVLPTL KLDSDESCKL RRLRFTYGTR TRVSLALPGQ YELVHTLASH
	QDNWETIPEE DLEVQEDSED AAHVLADLEV TMHHALLQEV DIVVAPCPSH RPSVDVLSDL
	ANDFLPVITY ALHKDELSER GEQELREVRQ YFSFPMFFFK VPKLEIISSS SGRAESERSP
	LYGQLVDLGY LSSSHRNCVP SDQDCKAQSM LVEQSEKLKQ LSTFSHQLLQ NRLVDAAKAL
	NVVHSHCLDI FINQAFDMQR DLQITPKRLE YTRKKENELY ESLMNIANRK QEEMKDMIVE
	TLNTMKEELL DDAANMEFKD VIVPENGETI GTREIKSCIR QIQELIISRL NQAVANKLIS
	SVDYLRESFV GTLERCLQSL EKSQDVSVHI TSNYLKQILN AAYHVEVTFH SGSSVTRMLW
	EQIKQIIQRI TWVNPPTITL EWKRKVAQEA IDSLSASKLA KSICSQFRTR LNSSHEAFAA
	SLRQLEAGHS GRLEKTEDLW LKVRKDHAPR LARLSLESRS LQDVLLHRKP KLGQELGRGQ
	YGVVYLCDNW GGHFPCALKS VVPPDEKHWN DLALEFHYMR SLPKHERLVD LHGSVIDYNY

	PK) (Receptor-interacting serine/threonine-protein kinase 5),FUNCTION: Acts as a positive regulator of ERK phosphorylation downstream of fibroblast growth factor-receptor activation. Involved in the regulation of both caspase-dependent apoptosis and caspase-independent cell
Background:	Dual serine/threonine and tyrosine protein kinase (EC 2.7.12.1) (Dusty protein kinase) (Dusty
Alternative Name:	Dstyk (DSTYK Products)
Target:	DSTYK
Target Details	
Grade:	custom-made
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
Characteristics:	Key Benefits:
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different isoform, please contact us regarding an individual offer.
	contact us.
	protein could make another tag necessary. In case you have a special request, please
	Tag is based on experiences with the expression system, a different complexity of the
	QPMLRSIMDR LCKCSSEQPN RGLDDST Sequence without tag. The proposed Purification-
	VLLDKQNRAK ITDLGFCKPE AMMSGSIVGT PIHMAPELFT GKYDNSVDVY AFGILFWYIC SGSIKLPEAF ERCASKDHLW NNVRRGTRPE RLPVFDEECW QLMEACWDGD PLKRPLLGIV
	GGGSSVAVLL IMERLHRDLY TGLKAGLTLE TRLQIALDVV EGIRFLHSQG LVHRDIKLKN

Target Details

Expiry Date:

12 months

	death. In the skin, it plays a predominant role in suppressing caspase-dependent apoptosis in response to UV stress in a range of dermal cell types. {ECO:0000250 UniProtKB:Q6XUX3}.
Molecular Weight:	104.9 kDa
UniProt:	Q6XUX1
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
	functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.