

Datasheet for ABIN7564258 **TICAM1 Protein (AA 1-732) (His tag)**



Overview

Quantity:	1 mg
Target:	TICAM1
Protein Characteristics:	AA 1-732
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TICAM1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Purpose:	Custom-made recombinat Ticam1 Protein expressed in mammalien cells.
Sequence:	MDNPGPSLRG AFGILGALER DRLTHLKHKL GSLCSGSQES KLLHAMVLLA LGQDTEARVS
	LESLKMNTVA QLVAHQWADM ETTEGPEEPP DLSWTVARLY HLLAEENLCP ASTRDMAYQV
	ALRDFASQGD HQLGQLQNEA WDRCSSDIKG DPSGFQPLHS HQGSLQPPSA SPAVTRSQPR
	PIDTPDWSWG HTLHSTNSTA SLASHLEISQ SPTLAFLSSH HGTHGPSKLC NTPLDTQEPQ
	LVPEGCQEPE EISWPPSVET SVSLGLPHEI SVPEVSPEEA SPILPDALAA PDTSVHCPIE
	CTELSTNSRS PLTSTTESVG KQWPITSQRS PQVPVGDDSL QNTTSSSPPA QPPSLQASPK
	LPPSPLSSAS SPSSYPAPPT STSPVLDHSE TSDQKFYNFV VIHARADEQV ALRIREKLET
	LGVPDGATFC EEFQVPGRGE LHCLQDAIDH SGFTILLLTA SFDCSLSLHQ INHALMNSLT
	QSGRQDCVIP LLPLECSQAQ LSPDTTRLLH SIVWLDEHSP IFARKVANTF KTQKLQAQRV
	RWKKAQEART LKEQSIQLEA ERQNVAAISA AYTAYVHSYR AWQAEMNKLG VAFGKNLSLG
	TPTPSWPGCP QPIPSHPQGG TPVFPYSPQP PSFPQPPCFP QPPSFPQPPS FPLPPVSSPQ

SQSFPSASSP APQTPGPQPL IIHHAQMVQL GVNNHMWGHT GAQSSDDKTE CSENPCMGPL TDQGEPLLET PE Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

Target:

custom-made

TICAM1

Target Details

rarget.	HOAWH
Alternative Name:	Ticam1 (TICAM1 Products)
Background:	TIR domain-containing adapter molecule 1 (TICAM-1) (Toll-interleukin-1 receptor domain-
	containing adapter protein inducing interferon beta) (TIR domain-containing adapter protein
	inducing IFN-beta),FUNCTION: Involved in innate immunity against invading pathogens.
	Adapter used by TLR3, TLR4 (through TICAM2) and TLR5 to mediate NF-kappa-B and
	interferon-regulatory factor (IRF) activation, and to induce apoptosis (PubMed:12855817,
	PubMed:16002681, PubMed:21703541). Ligand binding to these receptors results in TRIF
	recruitment through its TIR domain (PubMed:12855817, PubMed:16002681,

PubMed:21703541). Distinct protein-interaction motifs allow recruitment of the effector

proteins TBK1, TRAF6 and RIPK1, which in turn, lead to the activation of transcription factors

IRF3 and IRF7, NF-kappa-B and FADD respectively (PubMed:12855817, PubMed:16002681	ı
PubMed:21703541). Phosphorylation by TBK1 on the pLxIS motif leads to recruitment and	
subsequent activation of the transcription factor IRF3 to induce expression of type I interfe	ron
and exert a potent immunity against invading pathogens (By similarity). Component of a m	ıulti-
helicase-TICAM1 complex that acts as a cytoplasmic sensor of viral double-stranded RNA	
(dsRNA) and plays a role in the activation of a cascade of antiviral responses including the	
induction of pro-inflammatory cytokines (PubMed:21703541).	
{ECO:0000250 UniProtKB:Q8IUC6, ECO:0000269 PubMed:12855817,	
ECO:0000269 PubMed:16002681, ECO:0000269 PubMed:21703541}.	

Molecular Weight: 79.2 kDa

UniProt: Q80UF7

Pathways: TLR Signaling, Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin, Hepatitis C, Toll-Like Receptors Cascades

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.

For Research Use only

Handling

Restrictions:

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months