

Datasheet for ABIN7564266 **CHST14 Protein (AA 1-376) (His tag)**



Go to Product page

_					
	W	0	rv	10	W

Quantity:	1 mg
Target:	CHST14
Protein Characteristics:	AA 1-376
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CHST14 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence: MFPRPLTPLA APKSAETLGR TPRRAPLGRA RAGLGGPPLL LPSMLMFAVI VASSGI ERGILSEMKP LPLHPPSHKG AAWSGTDPKP RGLSLDAGDS DLQVREDIRN RTLRA' GMPRDPWDLP VGQRRTLLRH ILVSDRYRFL YCYVPKVACS NWKRVLKVLA GILNN KMDHRSDLVF LADLRPEEIR YRLQHYFKFL FVRDPLERLL SAYRNKFGEI REYQQRY IVRRYRAGAG PSPAGDDVTF PEFLRYLVDE DPEHMNEHWM PVYHLCQPCA VHYD RLEADANQVL EWVRAPPHVR FPARQAWYRP ASPESLHYHL CNVPRALLQD VLPK LFAYPLPNVT KEACHQ Sequence without tag. The proposed Purification-Tag is experiences with the expression system, a different complexity of the protein of another tag necessary. In case you have a special request, please contact us.	
GMPRDPWDLP VGQRRTLLRH ILVSDRYRFL YCYVPKVACS NWKRVLKVLA GILNN KMDHRSDLVF LADLRPEEIR YRLQHYFKFL FVRDPLERLL SAYRNKFGEI REYQQRY IVRRYRAGAG PSPAGDDVTF PEFLRYLVDE DPEHMNEHWM PVYHLCQPCA VHYD RLEADANQVL EWVRAPPHVR FPARQAWYRP ASPESLHYHL CNVPRALLQD VLPK LFAYPLPNVT KEACHQ Sequence without tag. The proposed Purification-Tag is experiences with the expression system, a different complexity of the protein o	LLLMI
KMDHRSDLVF LADLRPEEIR YRLQHYFKFL FVRDPLERLL SAYRNKFGEI REYQQRY IVRRYRAGAG PSPAGDDVTF PEFLRYLVDE DPEHMNEHWM PVYHLCQPCA VHYD RLEADANQVL EWVRAPPHVR FPARQAWYRP ASPESLHYHL CNVPRALLQD VLPK LFAYPLPNVT KEACHQ Sequence without tag. The proposed Purification-Tag is experiences with the expression system, a different complexity of the protein of	VCGQP
IVRRYRAGAG PSPAGDDVTF PEFLRYLVDE DPEHMNEHWM PVYHLCQPCA VHYD RLEADANQVL EWVRAPPHVR FPARQAWYRP ASPESLHYHL CNVPRALLQD VLPK LFAYPLPNVT KEACHQ Sequence without tag. The proposed Purification-Tag is experiences with the expression system, a different complexity of the protein of	IVDVRL
RLEADANQVL EWVRAPPHVR FPARQAWYRP ASPESLHYHL CNVPRALLQD VLPK LFAYPLPNVT KEACHQ Sequence without tag. The proposed Purification-Tag is experiences with the expression system, a different complexity of the protein of	/GAE
LFAYPLPNVT KEACHQ Sequence without tag. The proposed Purification-Tag is experiences with the expression system, a different complexity of the protein of)FVGSYE
experiences with the expression system, a different complexity of the protein of	YILDFS
	s based on
another tag necessary. In case you have a special request, please contact us.	could make
anomic ag necessary, in case you have a openial request, prease contact as	
Characteristics: Key Benefits:	

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	CHST14
Alternative Name:	Chst14 (CHST14 Products)
Background:	Carbohydrate sulfotransferase 14 (EC 2.8.2.35) (Dermatan 4-sulfotransferase 1) (D4ST-
	1),FUNCTION: Catalyzes the transfer of sulfate to position 4 of the N-acetylgalactosamine
	(GalNAc) residue of dermatan sulfate. Plays a pivotal role in the formation of 4-0-sulfated IdoA
	blocks in dermatan sulfate. Transfers sulfate to the C-4 hydroxyl of beta1,4-linked GalNAc that
	is substituted with an alpha-linked iduronic acid (IdoUA) at the C-3 hydroxyl. Transfers sulfate
	more efficiently to GalNAc residues in -IdoUA-GalNAc-IdoUA- than in -GlcUA-GalNAc-GlcUA-
	sequences. Has preference for partially desulfated dermatan sulfate. Addition of sulfate to
	GalNAc may occur immediately after epimerization of GlcUA to IdoUA. Appears to have an
	important role in the formation of the cerebellar neural network during postnatal brain
	development. {ECO:0000269 PubMed:16702220}.
Molecular Weight:	43.1 kDa
UniProt:	Q80V53
Pathways:	Glycosaminoglycan Metabolic Process

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months