

Datasheet for ABIN7564310 **DDX42 Protein (AA 1-929) (His tag)**



Go to Product page

| _ | | | | | |
|---|-----|---|----|-------------|-----|
| | 1// | r | Vİ | \triangle | ۸/ |
| | V | | VI | | / V |

| Quantity: | 1 mg |
|-------------------------------|--|
| Target: | DDX42 |
| Protein Characteristics: | AA 1-929 |
| Origin: | Mouse |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This DDX42 protein is labelled with His tag. |
| Application: | Western Blotting (WB), SDS-PAGE (SDS) |

| Product Details | |
|-----------------|--|
| Purpose: | Custom-made recombinat Ddx42 Protein expressed in mammalien cells. |
| Sequence: | MNWNKGGPGT KRGFGFGGFA ISAGKKEEAK LPQQSHSAFG AASSSSGFGK SAPPQLPSFY |
| | KIGSKRANFD EENAYFEDEE EDSSNVDLPY IPAENSPTRQ QFHSKPADSD SDDDPLEAFM |
| | AEVEDQAARD MKRLEEKDKE RKNVKGIRDD IEEEDDQEAY FRYMAENPTA GVVQEEEEDN |
| | LEYDSDGNPI APSKKIIDPL PPIDHSEIDY PPFEKNFYNE HEEITNLTPQ QLIDLRHKLN |
| | LRVSGAAPPR PGSSFAHFGF DEQLMHQIRK SEYTQPTPIQ CQGVPVALSG RDMIGIAKTG |
| | SGKTAAFIWP MLIHIMDQKE LEPGDGPIAV IVCPTRELCQ QIHAECKRFG KAYNLRSVAV |
| | YGGGSMWEQA KALQEGAEIV VCTPGRLIDH VKKKATNLQR VSYLVFDEAD RMFDMGFEYQ |
| | VRSIASHVRP DRQTLLFSAT FRKKIEKLAR DILIDPIRVV QGDIGEANED VTQIVEILHS |
| | GPSKWNWLTR RLVEFTSSGS VLLFVTKKAN AEELASNLKQ EGHNLGLLHG DMDQSERNKV |
| | ISDFKKKDIP VLVATDVAAR GLDIPSIKTV INYDVARDID THTHRIGRTG RAGEKGVAYT |
| | LLTPKDSNFA GDLVRNLEGA NQHVSKELLD LAMQNAWFRK SRFKGGKGKK LNIGGGGLGY |

RERPGLGSEN SDRGNNNNVM SNYEAYKPST GAMGDRLTAM KAAFQSQYKS HFVAASLSNQ KAGTSSAGAS GWTSAGSLNS VPTNSAQQGH NSPDNPMTSS TKNIPGFNNS GNISSAPVTY PSIGAQGVNN TASGNNSREG IGGGNGKRER YTENRGGSRH SHGDGGNRHG DGGRHGDGYR YPESGSRHTD GHRHGETRHG GSAGRHGESR GANDGRNGES RKEGFNRENK MDPKVDSSRM DKVDSKTDKT PDGFAVPEPP KRKKSRWDS Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

Target:

custom-made

DDX42

Target Details

| Alternative Name: | Ddx42 (DDX42 Products) |
|-------------------|---|
| Background: | ATP-dependent RNA helicase DDX42 (EC 3.6.4.13) (DEAD box protein 42),FUNCTION: ATP- |
| | dependent RNA helicase that binds to partially double-stranded RNAs (dsRNAs) in order to |
| | unwind RNA secondary structures. Unwinding is promoted in the presence of single-strand |
| | binding proteins. Mediates also RNA duplex formation thereby displacing the single-strand RNA |
| | binding protein. ATP and ADP modulate its activity: ATP binding and hydrolysis by DDX42 |

triggers RNA strand separation, whereas the ADP-bound form of the protein triggers annealing of complementary RNA strands. Required for assembly of the 17S U2 SnRNP complex of the spliceosome, a large ribonucleoprotein complex that removes introns from transcribed premRNAs: DDX42 associates transiently with the SF3B subcomplex of the 17S U2 SnRNP complex and is released after fulfilling its role in the assembly of 17S U2 SnRNP. Involved in the survival of cells by interacting with TP53BP2 and thereby counteracting the apoptosis-stimulating activity of TP53BP2. Relocalizes TP53BP2 to the cytoplasm. {ECO:0000250|UniProtKB:Q86XP3}.

Molecular Weight:

102.0 kDa

UniProt:

0810A7

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions:

For Research Use only

Handling

| Format: | Liquid |
|------------------|--|
| Buffer: | The buffer composition is at the discretion of the manufacturer. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | 12 months |