

Datasheet for ABIN7564396 RAB3GAP2 Protein (AA 1-1366) (His tag)



Overview

Quantity:	1 mg
Target:	RAB3GAP2
Protein Characteristics:	AA 1-1366
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RAB3GAP2 protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant Rab3gap2 Protein expressed in mammalian cells.	
Sequence:	MACSIVQFCS FQDLQSARDF LFPHLREETP GALKRDPSKT SSWEDDSWGA WEETEPREPE	
	EEGNTSKTQK NSWLQECVLS LSPTSDLMVI AREQKAAFLV RKWKHGDKGK EEMQFAVGWS	
	GSVSAEEGEY VTSALCIPLA SQKRSSTGRP DWTCIVVGFT SGYVRFYTEG VLLLAQLLNE	
	DKVLQLKCRT YEIPRHPGVT EQNEELSILY PAAIVTIDGF SLFQSLRACR NQVAKAAASG	
	NENIQPPPLA YKKWGLQDID TIIDHASVGI MTLSPFDQMK TASNIGGFNA AIKNSPPAMS	
	QYITVGSSPF TGFFYALEGS TQPLLSHVAL AVASKLTSAL FSAASGWLGW KSKHEEDTVQ	
	KQKPKMEPAT PLAVRFGLPD SRRHGESICL SPCNTLAAVT DDFGRVILLD VARGIAIRMW	
	KGYRDAQVGW IQIVEDLHER VPEKGGFSPF GNTQGPSRVA QFLVIYAPRR GILEVWNTQQ	
	GPRVGAFNVG KHCRLLYPGY KIMGLNNVTS QSWQPQTYQI CLVDPVSASV KAVNVPFHLA	
	LSDKKSERAK DLHLVKKLSA LLRAKSPRPD SFETEIKELI LDIKYPATKK QALESILASD	
	RLSFSCLRNV TQTLMDTLKN QELESVDEGL LQFCASKLKL LHLYESVSQL NTLDFHSDTP	
	FSDNDLAVLL RLDDKELLKL RALLEKYKQE NTKATVRFSE DADRVLPVKT FLEYLEYEKD	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN7564396 | 03/29/2025 | Copyright antibodies-online. All rights reserved.

	ALSIRKIGEE ECVALGSFFF WKCLHGKSST EEMCHSLESA GLSPQQLLSL LLSVWLSKEK	
	DILDKPQSVC CLHTMLSLLS KMKVAIDETW DSQSVSPWWQ QMRMACIQSE NSGAALLSAH	
	VGHSVAAQMS SGATDKKFSQ MELDADAEAL TDSWEALSLD TEYWKLLLRQ LEDCLILQTL	
	LHSKLSPPAA KAPSLQSEPL PRLSVKKLLE GGKGGIADSV AKWIFKQDLS PELLKCANKE	
	RDVENPDEPR EDLLHLAYEQ FPCSLELDVL HAHCCWEYVV QWNKDPEEAR FLVRSIEHLK	
	QILNPHVQNG IALMMWNTFL VKRFSAATYL MDKVGKSPKD RLCRRDVGMS DTALTSFLGS	
	CLELLQTSLE ADISRDEVQV PVLDTEDAWL SVEGPISIVE LALEQKPIHY PLVEHHSVLC	
	SILYASMRFS LKSVKPLALF DSKGKNAFFK DLTSIQLLPS GEMDPNFISV RQQFLLKVVS	
	AAVQAQHSKD KDPSAEAANT HWKDLNWPGL AVDLAHHLQV SDDVIRRHYV GELYSHGADL	
	LGEEAIFQVQ DKEVLASQLL VLTGQRLAHA LFHTQTKEGM ELLARLPPTL CTWLKAMNPQ	
	DLQNTGVPIA ATAKLVHKVM ELLPEKHGQY SLALHLIDAV EAMATL Sequence without tag. The	
	proposed Purification-Tag is based on experiences with the expression system, a different	
	complexity of the protein could make another tag necessary. In case you have a special	
	request, please contact us.	
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different	
	isoform, please contact us regarding an individual offer.	
Characteristics:	Key Benefits:	
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. 	
	 State-of-the-art algorithm used for plasmid design (Gene synthesis). 	
	 State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein. 	
	This protein is a made-to-order protein and will be made for the first time for your order. Our	
	This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein. If you are not interested in a full length protein, please contact us for individual protein	
	This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein. If you are not interested in a full length protein, please contact us for individual protein fragments. The big advantage of ordering our made-to-order proteins in comparison to ordering custom	
Purity:	 This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein. If you are not interested in a full length protein, please contact us for individual protein fragments. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein 	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN7564396 | 03/29/2025 | Copyright antibodies-online. All rights reserved.

Target:RAB3GAP2Alternative Name:Rab3gap2 (RAB3GAP2 Products)Background:Rab3 GTPase-activating protein non-catalytic subunit (Rab3 GTPase-activating protein 150 subunit) (Rab3-GAP p150) (Rab3-GAP150) (Rab3-GAP regulatory subunit),FUNCTION: Regulatory subunit of the Rab3 GTPase-activating protein (GAP) activity towards various Rab3 subfamily members (RAB3A, RAB3B, RAB3C and RAB3D), RAB5A and RAB43, and guanine nucleotide exchange factor (GEF) activity towards RAB18 (By similarity). As part of the Rab3GAP complex, acts as a GAP for Rab3 proteins by converting active RAB3-GTP to the inactive form RAB3-GDP (By similarity). Rab3 proteins are involved in regulated exceytosis neurotransmitters and hormones (By similarity). The Rab3GAP complex, acts as a GEF for RAB18 by promoting the conversion of inactive RAB18-GDP to the active form RAB18-GTP similarity). Required for recruiting and activating RAB18 at the endoplasmic reticulum (ER) membrane where it maintains proper ER structure (By similarity). Required for normal eye brain development (By similarity). May participate in neurodevelopmental processes such proliferation, migration and differentiation before synapse formation, and non-synaptic vesicular release of neurotransmitters (By similarity). {EC0.0000250 UniProtKB:Q15042, EC0.0000250 UniProtKB:Q9H2M9}.Molecular Weight:152.5 kDa
Background:Rab3 GTPase-activating protein non-catalytic subunit (Rab3 GTPase-activating protein 150 subunit) (Rab3-GAP p150) (Rab3-GAP regulatory subunit),FUNCTION: Regulatory subunit of the Rab3 GTPase-activating (Rab3GAP) complex composed of Rab3 and Rab3gap2, which has GTPase-activating protein (GAP) activity towards various Rab3 subfamily members (RAB3A, RAB3B, RAB3C and RAB3D), RAB5A and RAB43, and guanine nucleotide exchange factor (GEF) activity towards RAB18 (By similarity). As part of the Rab3GAP complex, acts as a GAP for Rab3 proteins by converting active RAB3-GTP to the inactive form RAB3-GDP (By similarity). Rab3 proteins are involved in regulated exocytosis neurotransmitters and hormones (By similarity). The Rab3GAP complex, acts as a GEF for RAB18 by promoting the conversion of inactive RAB18-GDP to the active form RAB18-GTF similarity). Required for recruiting and activating RAB18 at the endoplasmic reticulum (ER) membrane where it maintains proper ER structure (By similarity). Required for normal eye brain development (By similarity). May participate in neurodevelopmental processes such proliferation, migration and differentiation before synapse formation, and non-synaptic vesicular release of neurotransmitters (By similarity). (EC0:0000250)UniProtKB:Q15042, EC0:0000250)UniProtKB:Q9H2M9).Molecular Weight:152.5 kDa
subunit) (Rab3-GAP p150) (Rab3-GAP150) (Rab3-GAP regulatory subunit),FUNCTION: Regulatory subunit of the Rab3 GTPase-activating (Rab3GAP) complex composed of Rab3 and Rab3gap2, which has GTPase-activating protein (GAP) activity towards various Rab3 subfamily members (RAB3A, RAB3B, RAB3C and RAB3D), RAB5A and RAB43, and guanine nucleotide exchange factor (GEF) activity towards RAB18 (By similarity). As part of the Rab3GAP complex, acts as a GAP for Rab3 proteins by converting active RAB3-GTP to the inactive form RAB3-GDP (By similarity). Rab3 proteins are involved in regulated exocytosis neurotransmitters and hormones (By similarity). The Rab3GAP complex, acts as a GEF for RAB18 by promoting the conversion of inactive RAB18-GDP to the active form RAB18-GTF similarity). Required for recruiting and activating RAB18 at the endoplasmic reticulum (ER) membrane where it maintains proper ER structure (By similarity). Required for normal eye brain development (By similarity). May participate in neurodevelopmental processes such proliferation, migration and differentiation before synapse formation, and non-synaptic vesicular release of neurotransmitters (By similarity). {EC0:0000250 UniProtKB:Q9H2M9].Molecular Weight:152.5 kDa
ECO:0000250 UniProtKB:Q9H2M9}. Molecular Weight: 152.5 kDa
UniProt: Q8BMG7 Application Details
Application Notes:We expect the protein to work for functional studies. As the protein has not been tested fofunctional studies yet we cannot offer a guarantee though.
Restrictions: For Research Use only
Handling
Format: Liquid
Buffer: The buffer composition is at the discretion of the manufacturer.
Handling Advice: Avoid repeated freeze-thaw cycles.
Storage: -80 °C
Storage Comment: Store at -80°C.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN7564396 | 03/29/2025 | Copyright antibodies-online. All rights reserved.

Н	land	lling

Expiry Date:

12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN7564396 | 03/29/2025 | Copyright antibodies-online. All rights reserved.