

Datasheet for ABIN7564455

PHLPP2 Protein (AA 1-1320) (His tag)



()	V		rV	ĺ	9	V	V
'	\mathcal{I}	٧V	<u> </u>	v	1	$\overline{}$	٧	٧

Quantity:	1 mg
Target:	PHLPP2
Protein Characteristics:	AA 1-1320
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PHLPP2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Purpose:	Custom-made recombinat Phlpp2 Protein expressed in mammalien cells.
Sequence:	MKHNGSRTCL NRRSRFGSRE RDWLREDVKR GCVYLYGADT TTATTTTSSS SSSSSSDLH
	LVLCTVETPA SEICAGEGRE SLYLQLHGDL VRRLEPSERP LQIVYDYLSR LGFEDPVRIQ
	EEATNPDLSC MIRFYGEKPC QMDHLDRILL SGIYNVRKGK TQLHKWAERL VVLCGTCLIV
	SSVKDCQTGK MHILPLVGGK IEEVKRRQHS LAFSSAGAQA QTYHVSFETL AEYQRWQRQA
	SKVVSQRMST VDLSCYSLEE VPEHLFYSQD ITYLNLRHNF MQLERPGGLD TLHKFSQLKG
	LNLSHNKLGL FPVLLCEIST LTELSLSCNG FHDLPSQIGK LLNLQTLSLD GNGLTALPDE
	LGNLRQLTSL GISFNDFRHI PEVLEKLTML DKVAMAGNRL EVLNLGALTR MSQVKHVDLR
	MNHLKTVITE NMEGNKHITH MDLRDNQLTD LDLSSLCSLE QLHCERNQLR ELTLSGFSLR
	TLYASWNRLT AVNVYPVPSL LTSLELSQNL LECVPDWACE AKKLEILDIS HNLLTEVPMR
	ILSSLSLRKL MVGHNHIHVL PALVEHIPLE VLDIQHNTLS RLPDTLFSKA LNLRYLNASA
	NSLESLPSAC AGEESLSVLQ LLYLTSNLLT DQCIPVLVGH PHLRVLHLAN NQLQTFPASK

LNKLEQLEEL NLSGNKLTAI PTTIANCKRL HTLVAHANNI SIFPEILQLP QIQFVDLSCN DLTEILIPEA
LPATLQDLDL TGNTNLVLEH KTLDMFSHIT ALKIDQKPLP ATDSAVTSTF WSHGLAEMAG
QRNKLCVSAL AMDNFAEGVG AVYGMFDGDR NEELPRLLQC TMADVLLEEV QHSTNDTVFM
TNTFLVSHRK LGMAGQKLGS SALLCYIRPD TADPTSSFSL TVANVGMCQA VLCRGGKPVP
LSKVFSLEHD PEEAQRVKDQ KAIITEDNKV NGVTCCTRLL GCTYLYPWIL PKPHIASTPL
TIQDELLILG NKALWEHLSY LEAVNAVRHV QDPLAAAKKL CTLAQSYGCQ DNVGAMVVYL
NIGEEGCTCE MNGLTLPGPV GFASTAALKD TPKPTTPSSS SGIASEFSSE MSTSEVSSEV
GSTASDEHNT VGLEASLLPR PERRCSLHPA SSAGVFQRQP SCATFSSNQS DNGLDSDDDQ
PVEGVITNGS RVEVEVDIHC CRGREPESSP PLPKNSSNAC SEERARGAGF GIRRQNSVNS
GILLPANRDK MELQKSPSTS CLYGKKLSNG SIVPLEDSLN LIEVATEAPK RKTGYFAAPT
QLEPEDQFVV PRDLEEEVKE QMKQHQEGRP EPEPRGEERT EPLEEFDTAL Sequence without
tag. The proposed Purification-Tag is based on experiences with the expression system, a
different complexity of the protein could make another tag necessary. In case you have a
special request, please contact us.

Characteristics:

Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

PHLPP2

Target Details

Alternative Name:	Phlpp2 (PHLPP2 Products)		
Background:	PH domain leucine-rich repeat-containing protein phosphatase 2 (EC 3.1.3.16) (PH domain		
	leucine-rich repeat-containing protein phosphatase-like) (PHLPP-like),FUNCTION: Protein		
	phosphatase involved in regulation of Akt and PKC signaling. Mediates dephosphorylation in		
	the C-terminal domain hydrophobic motif of members of the AGC Ser/Thr protein kinase family		
	specifically acts on 'Ser-473' of AKT1, 'Ser-660' of PRKCB isoform beta-II and 'Ser-657' of		
	PRKCA. Akt regulates the balance between cell survival and apoptosis through a cascade that		
	primarily alters the function of transcription factors that regulate pro- and antiapoptotic genes.		
	Dephosphorylation of 'Ser-473' of Akt triggers apoptosis and decreases cell proliferation. Also		
	controls the phosphorylation of AKT3. Dephosphorylates STK4 on 'Thr-387' leading to STK4		
	activation and apoptosis. Dephosphorylates RPS6KB1 and is involved in regulation of cap-		
	dependent translation. Inhibits cancer cell proliferation and may act as a tumor suppressor.		
	Dephosphorylation of PRKCA and PRKCB leads to their destabilization and degradation.		
	Dephosphorylates RAF1 inhibiting its kinase activity (By similarity).		
	{ECO:0000250 UniProtKB:Q6ZVD8}.		
Molecular Weight:	145.9 kDa		
UniProt:	Q8BXA7		
Pathways:	PI3K-Akt Signaling, Fc-epsilon Receptor Signaling Pathway		
Application Details			
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies		
	as well. As the protein has not been tested for functional studies yet we cannot offer a		
	guarantee though.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	The buffer composition is at the discretion of the manufacturer.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		
Storage:	-80 °C		
Storage Comment: Store at -80°C.			

	_	
-	II	1:
-	-222	nnc
-	Hand	1111()

Expiry Date:

12 months