

Datasheet for ABIN7564515 PIAS2 Protein (AA 1-621) (His tag)



Overview

Quantity:	1 mg
Target:	PIAS2
Protein Characteristics:	AA 1-621
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PIAS2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Purpose:	Custom-made recombinat Pias2 Protein expressed in mammalien cells.
Sequence:	MADFEELRNM VSSFRVSELQ VLLGFAGRNK SGRKHDLLMR ALHLLKSGCS PAVQIKIREL
	YRRRYPRTLE GLCDLSTIKS SVFSLDGSSS PVEPDLPVAG IHSLPSTSIT PHSPSSPVGS
	VLLQDTKPTF EMQQPSPPIP PVHPDVQLKN LPFYDVLDVL IKPTSLVQSS IQRFQEKFFI
	FALTPQQVRE ICISRDFLPG GRRDYTVQVQ LRLCLAETSC PQEDNYPNSL CIKVNGKLFP
	LPGYAPPPKN GIEQKRPGRP LNITSLVRLS SAVPNQISIS WASEIGKNYS MSVYLVRQLT
	SAMLLQRLKM KGIRNPDHSR ALIKEKLTAD PDSEIATTSL RVSLMCPLGK MRLTIPCRAV
	TCTHLQCFDA ALYLQMNEKK PTWICPVCDK KAAYESLILD GLFMEILNDC SDVDEIKFQE
	DGSWCPMRPK KEAMKVTSQP CTKVESSSVF SKPCSVTVAS DASKKKIDVI DLTIESSSDE
	EEDPPAKRKC IFMSETQSSP TKGVLMYQPS SVRVPSVTSV DPAAIPPSLT DYSVPFHHTP
	VSSMSSDLPG LDFLSLIPVD PQYCPPMFLD SLTSPLTASS TSVTTTSPHE SSTHVSSSSS
	RSETGVITSS GRNIPDIISL D Sequence without tag. The proposed Purification-Tag is I

on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

PIAS2

Alternative Name:

Pias2 (PIAS2 Products)

Background:

E3 SUMO-protein ligase PIAS2 (EC 2.3.2.27) (Androgen receptor-interacting protein 3) (ARIP3) (DAB2-interacting protein) (DIP) (Msx-interacting zinc finger protein) (Protein inhibitor of activated STAT x) (Protein inhibitor of activated STAT2) (RING-type E3 ubiquitin transferase PIAS2), FUNCTION: Functions as an E3-type small ubiquitin-like modifier (SUMO) ligase, stabilizing the interaction between UBE2I and the substrate, and as a SUMO-tethering factor. Plays a crucial role as a transcriptional coregulation in various cellular pathways, including the STAT pathway, the p53 pathway and the steroid hormone signaling pathway. The effects of this transcriptional coregulation, transactivation or silencing may vary depending upon the biological context and PIAS2 isoform studied. However, it seems to be mostly involved in gene silencing. Binds to sumoylated ELK1 and enhances its transcriptional activity by preventing recruitment of HDAC2 by ELK1, thus reversing SUMO-mediated repression of ELK1

Target Details

Expiry Date:

12 months

Target Details	
	transactivation activity. Isoform PIASx-beta, but not isoform PIASx-alpha, promotes MDM2 sumoylation. Isoform PIASx-alpha promotes PARK7 sumoylation. Isoform PIASx-beta promotes NCOA2 sumoylation more efficiently than isoform PIASx-alpha (By similarity). Sumoylates PML at'Lys-65' and 'Lys-160' (By similarity). {ECO:0000250}.
Molecular Weight:	68.4 kDa
UniProt:	Q8C5D8
Pathways:	JAK-STAT Signaling, Intracellular Steroid Hormone Receptor Signaling Pathway, Regulation of Intracellular Steroid Hormone Receptor Signaling
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.