

Datasheet for ABIN7564595 RFWD3 Protein (AA 1-774) (His tag)



Overview

Quantity:	1 mg
Target:	RFWD3
Protein Characteristics:	AA 1-774
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RFWD3 protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant Rfwd3 Protein expressed in mammalian cells.
Sequence:	MAEVAVGQAS DLVPSEMDHE VIYSHLQGPL EGTIEPATPT EVVSNGAPLQ PAPAELANSQ
	GGAHVQPAPA EVVSSQDGLP TLQPLPPASI DLTEEVQPSE ENMEVVNPGT SEEPSQGSGA
	NPTAGAARSV SMNNFISGLQ RLHNMLELLR PPPADHSVGP IRTRRRMAPI LRARAGESQR
	QDNGRYVPHT PLYAYFQVSR SQPYPLPAAH DSETRNPPSG TDSDSDGSAE DEEVVVQAEE
	PEANIPEQGV IATDQEATSV TGDDAVPKES PQKPNMLSAM EDEEGETCTI CLEQWTNAGD
	HRISALRCGH LFGFRCISKW LKGQTRKCPQ CNKKAKHSDI VVIYARSLRA LDTSEQERMK
	SDLLNEQMLR KQAELESAQC RLQLQVLIDK CTKLNSRVQD LEKFVVRHQN SAAQQCSRSK
	ALCGKCLSSS QSPGKYSSEK TFTISQTGKC RILAYCDGLS CLVASQPSPQ ASFLPGFGVK
	MLSTANMKSS QYIPMHNKQI RGLSFSSQSK GLLLSASLDC TIKLTSLETN TVVQTYNTGR
	PVWSCCWCLD ENNYVYAGLA SGSILIYDLR NTNTYIQELV PQKARCPLVS LSYLPKAAVA
	AFPYGGVLAG TLENASFWEL KSDFSHKPHV LSLEPGGFVD FQTESSTRHC LVTYRPDKSH
	NTVRTVLLEM SYKLDDAGEP VCSCLPVQTF LGGPTCKLLT KSAIFQSPEN NGNVLVCTGD

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7564595 | 03/29/2025 | Copyright antibodies-online. All rights reserved.

	EASQSTLLWN AGSGLLLQNL KAGEPVLDIC PFETNQNSYL ATLTEKTVHM YKWE Sequence
	without tag. The proposed Purification-Tag is based on experiences with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	• Made to order protein - from design to production - by highly experienced protein experts.
	Protein expressed in mammalian cells and purified in one-step affinity chromatography
	 The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
	 State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein
	fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made

Target Details

Target:	RFWD3
Alternative Name:	Rfwd3 (RFWD3 Products)
Background:	E3 ubiquitin-protein ligase RFWD3 (EC 2.3.2.27) (RING finger and WD repeat domain-containing
	protein 3) (RING finger protein 201),FUNCTION: E3 ubiquitin-protein ligase required for the
	repair of DNA interstrand cross-links (ICL) in response to DNA damage. Plays a key role in RPA-
	mediated DNA damage signaling and repair. Acts by mediating ubiquitination of the RPA
	complex (RPA1, RPA2 and RPA3 subunits) and RAD51 at stalled replication forks, leading to
	remove them from DNA damage sites and promote homologous recombination. Also mediates
	the ubiquitination of p53/TP53 in the late response to DNA damage, and acts as a positive

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7564595 | 03/29/2025 | Copyright antibodies-online. All rights reserved.

Target Details

	regulator of p53/TP53 stability, thereby regulating the G1/S DNA damage checkpoint. May act by catalyzing the formation of short polyubiquitin chains on p53/TP53 that are not targeted to the proteasome. In response to ionizing radiation, interacts with MDM2 and enhances p53/TP53 ubiquitination, possibly by restricting MDM2 from extending polyubiquitin chains on
	ubiquitinated p53/TP53. Required to translesion DNA synthesis across DNA-protein cross-link
	adducts by catalyzing ubiquitination of proteins on single-stranded DNA (ssDNA).
	{EC0:0000250 UniProtKB:Q6PCD5}.
Molecular Weight:	84.3 kDa
UniProt:	Q8CIK8
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
	functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months