

Datasheet for ABIN7564619

## NFATC4 Protein (AA 1-901) (His tag)



[Go to Product page](#)

### Overview

Quantity:	1 mg
Target:	NFATC4
Protein Characteristics:	AA 1-901
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NFATC4 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

### Product Details

Purpose:	Custom-made recombinat Nfatc4 Protein expressed in mammalian cells.
Sequence:	<p>MGAASCEDEE LEFKLVFGEE KEPPPLGPGG PGEELDSEDTPPCCRLALGE PLPYGAAPIG</p> <p>IPRPPPPRPG MHSPPPRPAP SPGTWESQPA RSVRLGGPGG NAGGAGGGRV LECPSIRITS</p> <p>ISPTDPPTS LEDTSETWGD GSPRDYPPPE GFGGYREAGG QGGGAFFSPS PGSSSLSSWS</p> <p>FFSDASDEAA LYAACDEVES ELNEAASRFG LSSPLPSPRA SPRPWTPEDP WSLYGPSSGG</p> <p>RAPEDSWLLL SAPGPVPASP RPASPCGKRR YSSSGTPSSA SPALSRRGSL GEEGPEPPPP</p> <p>PPLPLVRDPS SPGPFDYVGA PPTESIPQKT RRTSSEQAVA LPRSEPPSC NGKLPSGTED</p> <p>SVAAPGALRK EVAGMDYLAV PSPLAWSKAR IGGHSPIFRT SALPPLDWPL PSQYEQLRLR</p> <p>IEVQPRAHHR AHYETEGSRG AVKAAPGGHP VKLLGYSEK PLTLQMFIGN ADERSLRPHA</p> <p>FYQVHRITGK MVATASYEAV VSGTKVLEMT LLPENNMAAN IDCAGILKLR NSDIELRKGE</p> <p>TDIGRKNTRV RLVFRVHVPQ GGGKVVSQQA ASVPIECSQR SAQELPQVET YSPSACSVRG</p> <p>GEELVLTGSN FLPDSKVFI ERGPDGKLQW EEEAAVNRLQ SSEVTLTLTI PEYSNKRVS</p>

## Product Details

PVQVYFYVSN GRRKRSPTQS FKFLPVVFKE EPLPDSSLRG FPSTSGPPFG PDVDFSPPRP  
PYPSYPHEDP AYETPYLSEG FGYSTPALYP QTGPPPSYRS GLRMFPETGG TTGCARLPSV  
SFLPRPFPD QYGGQGSSFA LGLPFSPAP FRPPLPSSPP LEDPFHPQSA IHPLPPEGYN  
EVGPGYTPGE GASEQEKARG GYSSGFRDSV PIQGITLEEV SEIIGRDLSG FPARPGEEPP A

**Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

Characteristics:	<p>Key Benefits:</p> <ul style="list-style-type: none"><li>• Made to order protein - from design to production - by highly experienced protein experts.</li><li>• Protein expressed in mammalian cells and purified in one-step affinity chromatography</li><li>• The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.</li><li>• State-of-the-art algorithm used for plasmid design (Gene synthesis).</li></ul> <p>This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.</p> <p>If you are not interested in a full length protein, please contact us for individual protein fragments.</p> <p>The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.</p>
------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
---------	-----------------------------------------------------

Grade:	custom-made
--------	-------------

## Target Details

Target:	NFATC4
Alternative Name:	Nfatc4 ( <a href="#">NFATC4 Products</a> )
Background:	Nuclear factor of activated T-cells, cytoplasmic 4 (NF-ATc4) (NFATc4) (T-cell transcription factor NFAT3) (NF-AT3),FUNCTION: Ca(2+)-regulated transcription factor that is involved in several processes, including the development and function of the immune, cardiovascular, musculoskeletal, and nervous systems. Involved in T-cell activation, stimulating the transcription of cytokine genes, including that of IL2 and IL4 (PubMed:17198697). Following JAK/STAT signaling activation and as part of a complex with NFATC3 and STAT3, binds to the

Target Details

alpha-beta E4 promoter region of CRYAB and activates transcription in cardiomyocytes (PubMed:19538478). Along with NFATC3, involved in embryonic heart development (PubMed:12750314, PubMed:17198697). Involved in mitochondrial energy metabolism required for cardiac morphogenesis and function (PubMed:12750314). Transactivates many genes involved in heart physiology. Along with GATA4, binds to and activates NPPB/BNP promoter (PubMed:9568714). Activates NPPA/ANP/ANF and MYH7/beta-MHC transcription (By similarity). Binds to and transactivates AGTR2 gene promoter (PubMed:17198697). Involved in the regulation of adult hippocampal neurogenesis. Involved in BDNF-driven pro-survival signaling in hippocampal adult-born neurons. Involved in the formation of long-term spatial memory and long-term potentiation (PubMed:22586092). In cochlear nucleus neurons, may play a role in deafferentation-induced apoptosis during a developmental critical period when auditory neurons depend on afferent input for survival (PubMed:18354019). Binds to and activates the BACE1/Beta-secretase 1 promoter, hence may regulate the proteolytic processing of the amyloid precursor protein (APP). Plays a role in adipocyte differentiation. May be involved in myoblast differentiation into myotubes (By similarity). Binds the consensus DNA sequence 5'-GGAAAAT-3' (Probable). In the presence of CREBBP, activates TNF transcription. Binds to PPARG gene promoter and regulates its activity (By similarity). Binds to PPARG and REG3G gene promoters (PubMed:17198697). {ECO:0000250|UniProtKB:D3Z9H7, ECO:0000250|UniProtKB:Q14934, ECO:0000269|PubMed:12750314, ECO:0000269|PubMed:17198697, ECO:0000269|PubMed:18354019, ECO:0000269|PubMed:19538478, ECO:0000269|PubMed:22586092, ECO:0000269|PubMed:9568714, ECO:0000305|PubMed:9568714}.

Molecular Weight:	95.8 kDa
UniProt:	<a href="#">Q8K120</a>
Pathways:	<a href="#">RTK Signaling</a> , <a href="#">WNT Signaling</a>

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months