

Datasheet for ABIN7564635

Phospholipase C delta 3 Protein (PLCd3) (AA 1-785) (His tag)



Go to Product page

| () | ve | r\/i | Δ | ۱۸/ |
|---------|-----|------|---|-----|
| \circ | V C | 1 V | | v v |

| Quantity: | 1 mg |
|-------------------------------|--|
| Target: | Phospholipase C delta 3 (PLCd3) |
| Protein Characteristics: | AA 1-785 |
| Origin: | Mouse |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This Phospholipase C delta 3 protein is labelled with His tag. |
| Application: | SDS-PAGE (SDS), Western Blotting (WB) |

| Product Details | |
|-----------------|--|
| Purpose: | Custom-made recombinat Plcd3 Protein expressed in mammalien cells. |
| Sequence: | MLCGGWKRSR RSPEESRVSA QVAAPLAFPP SPASSDSSTK RPGLRALKKM GLTEDEDVQA |
| | MLRGSRLLKI RSRTWHKERL YRLQEDGLSV WFQRRIPRAA SKHIFFVQHI EAVREGHQSE |
| | GLRRFGGAFA PACCLTIAFK GRRKNLDLAA PTAEEAQRWV RGLAKLRARL DAMSQRERLD |
| | HWIHSYLHRA DSDQDSKMSF KEIKSLLRMV NVDMNDMYAY RLFKECDHSN NERLEGAEIE |
| | AFLRRLLKRP ELEEIFRRYS GEDRVLSASE LLEFLEDQGE DGATLACAQQ LIQTYELNET |
| | AKQHELMTLD GFMMYLLSPE GAALNVAHTC VFQDMGQPLA HYFISSSHNT YLTDSQIGGT |
| | SSTEAYIRAF AQGCRCVELD CWEGPGGEPV IYHGHTLTSK ILFRDVIQAV RDHAFTSSPY |
| | PVILSLENHC GLEQQAVMAR HLRSILGDML VTQALDSQNP EELPSPEQLK GRILVKGKKL |
| | PAARSEDGRI LSDREEEEEE EEEAEEALEA AEQRSRAKQI SPELSALAVY CCATRLRTLD |
| | PSPGPPQSCT VGSLSERKAR KFTREAGTSF VRHNTQQLTR VYPLGLRMNS ANYNPQEMWN |
| | SGCQLVALNF QTPGYEMDLN TGRFLINGQC GYVLKPAYLR QLNTTFDPEC PGPPRTTLAI |

QVLTAQQLPK LNAEKPSSIV DPLVRVEIHG VPEDCAQKET DYVLNNGFNP CWEQTLQFRL RAPELVLVRF VVEDYDTTSP NDFVGQSTLP LSSLKQGYRH IHLLSKDGAS LAPATLFVHI RIQNS Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

Target:

custom-made

Phospholipase C delta 3 (PLCd3)

Target Details

| Alternative Name: | Plcd3 (PLCd3 Products) |
|-------------------|---|
| Background: | 1-phosphatidylinositol 4,5-bisphosphate phosphodiesterase delta-3 (EC 3.1.4.11) |
| | (Phosphoinositide phospholipase C-delta-3) (Phospholipase C-delta-3) (PLC-delta- |
| | 3),FUNCTION: Hydrolyzes the phosphatidylinositol 4,5-bisphosphate (PIP2) to generate 2 |
| | second messenger molecules diacylglycerol (DAG) and inositol 1,4,5-trisphosphate (IP3). DAG |
| | mediates the activation of protein kinase C (PKC), while IP3 releases Ca(2+) from intracellular |
| | stores. Essential for trophoblast and placental development. May participate in cytokinesis by |
| | hydrolyzing PIP2 at the cleavage furrow. Regulates neurite outgrowth through the inhibition of |
| | RhoA/Rho kinase signaling (PubMed:21187285). {ECO:0000269 PubMed:16314520, |

| Target Details | |
|---------------------|--|
| | ECO:0000269 PubMed:21187285}. |
| Molecular Weight: | 88.6 kDa |
| UniProt: | Q8K2J0 |
| Pathways: | WNT Signaling |
| Application Details | |
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. |
| Restrictions: | For Research Use only |
| Handling | |
| | |

| Format: | Liquid |
|------------------|--|
| Buffer: | The buffer composition is at the discretion of the manufacturer. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | 12 months |