

Datasheet for ABIN7564701 CDK8 Protein (AA 1-464) (His tag)



()	ve	r\/i	Δ	۱۸/
\circ	V C	1 V		v v

Quantity:	1 mg
Target:	CDK8
Protein Characteristics:	AA 1-464
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CDK8 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Purpose:	Custom-made recombinat Cdk8 Protein expressed in mammalien cells.
Sequence:	MDYDFKVKLS SERERVEDLF EYEGCKVGRG TYGHVYKAKR KDGKDDKDYA LKQIEGTGIS
	MSACREIALL RELKHPNVIS LLKVFLSHAD RKVWLLFDYA EHDLWHIIKF HRASKANKKP
	VQLPRGMVKS LLYQILDGIH YLHANWVLHR DLKPANILVM GEGPERGRVK IADMGFARLF
	NSPLKPLADL DPVVVTFWYR APELLLGARH YTKAIDIWAI GCIFAELLTS EPIFHCRQED
	IKTSNPYHHD QLDRIFNVMG FPADKDWEDI KKMPEHSTLM KDFRRNTYTN CSLIKYMEKH
	KVKPDSKAFH LLQKLLTMDP IKRITSEQAM QDPYFLEDPL PTSDVFAGCQ IPYPKREFLT
	EEEPDEKGDK KTQQQQGNN HTNGTGHPGN QDSGHAQGPP LKKVRVVPPT TTSGGLIMTS
	DYQRSNPHAA YPNPGPSTSQ PQSSMGYSAT SQQPPQYSHQ THRY Sequence without tag. The
	proposed Purification-Tag is based on experiences with the expression system, a different
	complexity of the protein could make another tag necessary. In case you have a special
	request, please contact us.

Product Details

Characteristics:

Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

CDK8

Alternative Name:

Cdk8 (CDK8 Products)

Background:

Cyclin-dependent kinase 8 (EC 2.7.11.22) (EC 2.7.11.23) (Cell division protein kinase 8) (Mediator complex subunit CDK8) (Mediator of RNA polymerase II transcription subunit CDK8), FUNCTION: Component of the Mediator complex, a coactivator involved in regulated gene transcription of nearly all RNA polymerase II-dependent genes. Mediator functions as a bridge to convey information from gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery. Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional pre-initiation complex with RNA polymerase II and the general transcription factors. Phosphorylates the CTD (C-terminal domain) of the large subunit of RNA polymerase II (RNAp II), which may inhibit the formation of a transcription initiation complex. Phosphorylates CCNH leading to down-regulation of the TFIIH complex and transcriptional repression. Recruited through interaction with MAML1 to hyperphosphorylate the intracellular domain of NOTCH, leading to its degradation (By similarity). {ECO:0000250|UniProtKB:P49336}.

Target Details

Expiry Date:

- Target Betails		
Molecular Weight:	53.2 kDa	
UniProt:	Q8R3L8	
Pathways:	Cell Division Cycle, Regulation of Lipid Metabolism by PPARalpha	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	

12 months