

Datasheet for ABIN7564725 SLC22A6 Protein (AA 1-545) (His tag)



Overview

Quantity:	1 mg
Target:	SLC22A6
Protein Characteristics:	AA 1-545
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC22A6 protein is labelled with His tag.

Product Details	
Purpose:	Custom-made recombinant Slc22a6 Protein expressed in mammalian cells.
Sequence:	MAFNDLLKQV GGVGRFQLIQ VTMVVAPLLL MASHNTLQNF TAAIPAHHCR PPANANLSKD
	GGLEAWLPLD KQGRPESCLR FPFPHNGTEA NGTGVTEPCL DGWVYDNSTF PSTIVTEWNL
	VCSHRAFRQL AQSLFMVGVL LGAMMFGYLA DRLGRRKVLI LNYLQTAVSG TCAAYAPNYT
	VYCIFRLLSG MSLASIAINC MTLNMEWMPI HTRAYVGTLI GYVYSLGQFL LAGIAYAVPH
	WRHLQLAVSV PFFVAFIYSW FFIESARWYS SSGRLDLTLR ALQRVARING KQEEGAKLSI
	EVLQTSLQKE LTLNKGQASA MELLRCPTLR RLFLCLSMLW FATSFAYYGL VMDLQGFGVS
	MYLIQVIFGA VDLPAKFVCF LVINSMGRRP AQLASLLLAG ICILVNGIIP RGHTIIRTSL
	AVLGKGCLAS SFNCIFLYTG ELYPTMIRQT GLGMGSTMAR VGSIVSPLIS MTAEFYPSIP
	LFIFGAVPVA ASAVTALLPE TLGQPLPDTV QDLKSRSRGK QKQQQLEQQK QMIPLQVSTQ EKNGL
	Sequence without tag. The proposed Purification-Tag is based on experiences with the
	expression system, a different complexity of the protein could make another tag necessary.
	In case you have a special request, please contact us.

Product Details

Product Details	
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC
Grade:	custom-made
Target Details	
Target:	SLC22A6
Alternative Name:	Slc22a6 (SLC22A6 Products)
Background:	Solute carrier family 22 member 6 (Kidney-specific transport protein) (Novel kidney transcript)
	(mNKT) (Organic anion transporter 1) (mOAT1) (Renal organic anion transporter 1)
	(mROAT1),FUNCTION: Secondary active transporter that functions as a Na(+)-independent
	organic anion (OA)/dicarboxylate antiporter where the uptake of one molecule of OA into the
	cell is coupled with an efflux of one molecule of intracellular dicarboxylate such as 2-
	oxoglutarate or glutarate (PubMed:15944205). Mediates the uptake of OA across the
	basolateral side of proximal tubule epithelial cells, thereby contributing to the renal elimination

of endogenous OA from the systemic circulation into the urine (By similarity). Functions as a

tetrahydrobiopterin (BH4), dihydrobiopterin (BH2) and sepiapterin to urine, thereby determining

baseline levels of blood biopterins (By similarity). Transports prostaglandin E2 (PGE2) and

biopterin transporters involved in the uptake and the secretion of coenzymes

prostaglandin F2-alpha (PGF2-alpha) and may contribute to their renal excretion (By similarity). Involved in the transport of neuroactive tryptophan metabolites kynurenate (KYNA) and xanthurenate (XA) (PubMed:15944205). May transport glutamate. Also involved in the disposition of uremic toxins and potentially toxic xenobiotics by the renal organic anion secretory pathway, helping reduce their undesired toxicological effects on the body (By similarity). Uremic toxins include the indoxyl sulfate (IS), hippurate/N-benzoylglycine (HA), indole acetate (IA) and 3-carboxy-4- methyl-5-propyl-2-furanpropionate(CMPF) and urate (By similarity). Xenobiotics include the mycotoxin ochratoxin (OTA) (By similarity). May also contribute to the transport of organic compounds in testes across the blood-testis-barrier (By similarity). {ECO:0000250|UniProtKB:Q4U2R8, ECO:0000269|PubMed:15944205}.

Molecular Weight:	60.0 kDa
UniProt:	Q8VC69
Pathways:	Dicarboxylic Acid Transport

Application Details

Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
	functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months