

Datasheet for ABIN7564733 **MUL1 Protein (AA 1-352) (His tag)**



Go to Product page

_					
	W	0	rv	10	W

1 mg	
MUL1	
AA 1-352	
Mouse	
HEK-293 Cells	
Recombinant	
This MUL1 protein is labelled with His tag.	
Western Blotting (WB), SDS-PAGE (SDS)	

Product Details

Purpose:	Custom-made recombinat Mul1 Protein expressed in mammalien cells.		
Sequence:	MESGSRPSLG QVILLGTSSM VTAVLYSIYR QKAQVAQELK GAKKIHLGED LKGILSEAPG		
	KCVPYAVIEG AVRSVKETLN SQFVENCKGV IQRLSLQEHK MVWNRTTHLW NDYSKIIHQR		
	TNTVPFDLVP HEDGVAVSVR VLKPLDSVDL GLETVYEKFH PSVQSFTDAI GHYISGERPK		
	GIQETEEMLK VGATLTGIGE LVLDNNAVRL QPPKQGMQYY LSSQDFDSLL HRQESSVRLW		
	KILVLVFGFA TCATLFFILR KQYLHRQERL RQQQLQEEFL EHEAQLLSQA SPEDRESLKS		
	ACVVCLSNFK SCVFLECGHV CSCRQCYLAL PEPKRCPICR REITRVIPLY NS Sequence without		
	tag. The proposed Purification-Tag is based on experiences with the expression system, a		
	different complexity of the protein could make another tag necessary. In case you have a		
	special request, please contact us.		
Characteristics:	Key Benefits:		

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

MUL1

Alternative Name:

Mul1 (MUL1 Products)

Background:

Mitochondrial ubiquitin ligase activator of NFKB 1 (EC 2.3.2.27) (E3 ubiquitin-protein ligase MUL1) (Growth inhibition and death E3 ligase) (Protein Hades) (RING-type E3 ubiquitin transferase NFKB 1),FUNCTION: Exhibits weak E3 ubiquitin-protein ligase activity (By similarity). E3 ubiquitin ligases accept ubiquitin from an E2 ubiquitin-conjugating enzyme in the form of a thioester and then directly transfer the ubiquitin to targeted substrates (By similarity). Can ubiquitinate AKT1 preferentially at 'Lys-284' involving 'Lys-48'-linked polyubiquitination and seems to be involved in regulation of Akt signaling by targeting phosphorylated Akt to proteasomal degradation (By similarity). Mediates polyubiquitination of cytoplasmic TP53 at 'Lys-27' which targets TP53 for proteasomal degradation, thus reducing TP53 levels in the cytoplasm and mitochondrion (By similarity). Proposed to preferentially act as a SUMO E3 ligase at physiological concentrations (By similarity). Plays a role in the control of mitochondrial morphology by promoting mitochondrial fragmentation, and influences mitochondrial localization (By similarity). Likely to promote mitochondrial fission through negatively regulating the mitochondrial fusion proteins MFN1 and MFN2, acting in a pathway that is parallel to the

PRKN/PINK1 regulatory pathway (PubMed:24898855). May also be involved in the sumoylation of the membrane fission protein DNM1L (By similarity). Inhibits cell growth (By similarity). When overexpressed, activates JNK through MAP3K7/TAK1 and induces caspase-dependent apoptosis (By similarity). Involved in the modulation of innate immune defense against viruses by inhibiting RIGI-dependent antiviral response (By similarity). Can mediate RIGI sumoylation and disrupt its polyubiquitination (By similarity). {ECO:0000250|UniProtKB:Q969V5, ECO:0000269|PubMed:24898855}.

Molecular Weight: 39.8 kDa

UniProt: Q8VCM5

Pathways: Positive Regulation of Endopeptidase Activity

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies

as well. As the protein has not been tested for functional studies yet we cannot offer a

guarantee though.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months