

Datasheet for ABIN7564735 NRBF2 Protein (AA 1-287) (His tag)



Go to Product page

_			
()	V/C	rv	٨/

Quantity:	1 mg
Target:	NRBF2
Protein Characteristics:	AA 1-287
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NRBF2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details			
Purpose:	Custom-made recombinat Nrbf2 Protein expressed in mammalien cells.		
Sequence:	MEVMEGPLNL AHQQSRRADR LLAAGKYEEA ISCHRKATTY LSEAMKLTES EQAHLSLELQ		
	RDSHMKQLLL IQERWKRAKR EERLKAQQST ERDGAPHLQA PPRPSEDAEG QSPLLSQPYI		
	PSTERRLPEV QGVFDRDPDT LLFLLQQKNE PSEPCIGSKA PKDDKTIIEE QATKIADLKR		
	HVEFLVAENE RLRKENKQLK AEKARLLKGT AEKELDVDAD FVEKSELWGL PSHSESAAAS		
	STWQKFAANT GKAKDIPIPN LPPLDFPSPE LPLMELSEDI LKGFMND Sequence without tag.		
	The proposed Purification-Tag is based on experiences with the expression system, a		
	different complexity of the protein could make another tag necessary. In case you have a		
	special request, please contact us.		
Characteristics:	Key Benefits:		
	Made to order protein - from design to production - by highly experienced protein experts.		

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

NRBF2

Alternative Name:

Nrbf2 (NRBF2 Products)

Background:

Nuclear receptor-binding factor 2 (NRBF-2),FUNCTION: May modulate transcriptional activation by target nuclear receptors. Can act as transcriptional activator (in vitro) (By similarity). {ECO:0000250|UniProtKB:Q96F24}., FUNCTION: Involved in starvation-induced autophagy probably by its association with PI3K complex I (PI3KC3-C1). However, effects has been described variably. Involved in the induction of starvation-induced autophagy (By similarity). Stabilzes PI3KC3-C1 assembly and enhances ATG14-linked lipid kinase activity of PIK3C3 (PubMed:24849286). Proposed to negatively regulate basal and starvation-induced autophagy and to inhibit PIK3C3 activity by modulating interactions in PI3KC3-C1 (By similarity). May be involved in autophagosome biogenesis (By similarity). May play a role in neural progenitor cell survival during differentiation (PubMed:18619852). {ECO:0000250|UniProtKB:Q96F24, ECO:0000269|PubMed:24849286}., FUNCTION: Involved in the induction of starvation-induced autophagy. Modulates ATG14-linked lipid kinase activity of PIK3C3 and stabilzes PI3K complex I (PI3KC3-C1) assembly (PubMed:24849286). May play a role in neural progenitor cell survival during differentiation (PubMed:18619852). {ECO:0000250|UniProtKB:Q96F24, ECO:0000250|UniProtKB:Q96F24, ECO:0000250|UniProtKB:Q96F24, ECO:0000269|PubMed:18619852,

Target Details

Storage Comment:

Expiry Date:

l arget Details		
	ECO:0000269 PubMed:24849286}.	
Molecular Weight:	32.5 kDa	
UniProt:	Q8VCQ3	
Pathways:	Nuclear Receptor Transcription Pathway	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	

Store at -80°C.

12 months