

# Datasheet for ABIN7564762 MARK1 Protein (AA 1-795) (His tag)



#### Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	1 mg
Target:	MARK1
Protein Characteristics:	AA 1-795
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MARK1 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Purpose:	Custom-made recombinat Mark1 Protein expressed in mammalien cells.
Sequence:	MSARTPLPTV NERDTENHTS VDGYTETHIP PAKSSSRQNL PRCRNSITSA TDEQPHIGNY
	RLQKTIGKGN FAKVKLARHV LTGREVAVKI IDKTQLNPTS LQKLFREVRI MKILNHPNIV
	KLFEVIETEK TLYLVMEYAS GGEVFDYLVA HGRMKEKEAR AKFRQIVSAV QYCHQKCIVH
	RDLKAENLLL DADMNIKIAD FGFSNEFTVG NKLDTFCGSP PYAAPELFQG KKYDGPEVDV
	WSLGVILYTL VSGSLPFDGQ NLKELRERVL RGKYRIPFYM STDCENLLKK LLVLNPIKRG
	SLEQIMKDRW MNVGHEEEEL KPYSEPELDL SDAKRIDIMV TMGFARDEIN DALVSQKYDE
	VMATYILLGR KPPEFEGGES LSSGSLCQRS RPSSDLNNST LQSPAHLKVQ RSISANQKQR
	RFSDHAGPSI PPAVSYTKRP QANSVESEQK EEWGKDTARR LGSTTVGSKS EVTASPLVGP
	DRKKSTASPS NNVYSGGSMA RRNTYVCERS TDRYAALQNG RDSSLTEMSA SSMSSAGSTV
	ASAGPSARPR HQKSMSTSGH PIKVTLPTIK DGSEAYRPGA AQRVPAASPS AHSISASTPD
	RTRFPRGSSS RSTFHGEQLR ERRSAAYNGP PASPSHETGA FAHARRGTST GIISKITSKF

VRRDPSEGEA SGRADTARGS SGDPKERDKD EGKEAKPRSL RFTWSMKTTS SMDPNDMLRE IRKVLDANTC DYEQKERFLL FCVHGDARQD SLVQWEMEVC KLPRLSLNGV RFKRISGTSI AFKNIASKIA NELKL Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

Key Benefits:

- Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

MAPT/TAU at KXGS motifs, causing detachment from microtubules, and their disassembly.

Involved in the regulation of neuronal migration through its dual activities in regulating cellular

#### Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

### Grade:

custom-made

NAADIZ1

## **Target Details**

Larget:		
Alternative Name:		
Background:	Serine/threonine-protein kinase MARK1 (EC 2.7.11.1) (EC 2.7.11.26) (ELKL motif	
	serine/threonine-protein kinase 3) (MAP/microtubule affinity-regulating kinase 1) (PAR1	
	homolog c) (Par-1c) (mPar-1c),FUNCTION: Serine/threonine-protein kinase (By similarity).	
	Involved in cell polarity and microtubule dynamics regulation. Phosphorylates DCX, MAP2 and	
	MAP4. Phosphorylates the microtubule-associated protein MAPT/TAU (By similarity). Involved	
	in cell polarity by phosphorylating the microtubule-associated proteins MAP2, MAP4 and	

Target Details	
	polarity and microtubule dynamics, possibly by phosphorylating and regulating DCX. Also acts as a positive regulator of the Wnt signaling pathway, probably by mediating phosphorylation of dishevelled proteins (DVL1, DVL2 and/or DVL3). {ECO:0000250 UniProtKB:Q9P0L2}.
Molecular Weight:	88.3 kDa
UniProt:	Q8VHJ5
Pathways:	SARS-CoV-2 Protein Interactome, The Global Phosphorylation Landscape of SARS-CoV-2 Infection
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months