

Datasheet for ABIN7564794

SHARPIN Protein (AA 1-380) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	SHARPIN
Protein Characteristics:	AA 1-380
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SHARPIN protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinat Sharpin Protein expressed in mammalian cells.
Sequence:	<p>MSPPAGGA AV AADPASPVVL LAVHAAVRPL GAGQDAEAQP RKLQLIADPE RPGRFRLGLL</p> <p>GTEPGAVSLE WPLEAICYTV RGPNQHELQP PPGPGTFSV HFLDPEEAQQ WAALVRDATA</p> <p>EGQNGSGSPA PAPAPAMCPI SPPCSSMAQI PKATQPEVDL PQSSGNFKKE ELATRLSQA I</p> <p>AGGDEKAAAQ VAAVLAQH HV ALNVQLMEAW FPPGPIRLQV TVEDATSVLS SSSSAHVSLK</p> <p>IHPHCSIAAL QDQVFSEFGF PPAVQRWVIG RCLCMPERSL ASYGVSQDGD PAFLYLLSAP</p> <p>REVSGQSLQN SKMDRKLGLF PQSLGLPHDL QPSSSSLPSP SQPGWSCPSC TFINASNRPG</p> <p>CEMCSTQRPC AWDPLAAAST Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</p>
Characteristics:	Key Benefits:

Product Details

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
---------	---

Grade:	custom-made
--------	-------------

Target Details

Target:	SHARPIN
---------	---------

Alternative Name:	Sharpin (SHARPIN Products)
-------------------	--

Background:	<p>Sharpin (Shank-associated RH domain-interacting protein) (Shank-interacting protein-like 1) (mSIPL1), FUNCTION: Component of the LUBAC complex which conjugates linear polyubiquitin chains in a head-to-tail manner to substrates and plays a key role in NF-kappa-B activation and regulation of inflammation (PubMed:17538631, PubMed:21455173, PubMed:21455180, PubMed:21455181). LUBAC conjugates linear polyubiquitin to IKBKG and RIPK1 and is involved in activation of the canonical NF-kappa-B and the JNK signaling pathways (PubMed:17538631, PubMed:21455173, PubMed:21455180, PubMed:21455181). Linear ubiquitination mediated by the LUBAC complex interferes with TNF-induced cell death and thereby prevents inflammation (PubMed:17538631, PubMed:21455173, PubMed:21455180, PubMed:21455181). LUBAC is recruited to the TNF-R1 signaling complex (TNF-RSC) following polyubiquitination of TNF-RSC components by BIRC2 and/or BIRC3 and to conjugate linear polyubiquitin to IKBKG and possibly other components contributing to the stability of the complex. The LUBAC complex is also involved in innate immunity by conjugating linear polyubiquitin chains at the surface of bacteria invading the cytosol to form the ubiquitin coat surrounding bacteria. LUBAC is not able</p>
-------------	--

Target Details

to initiate formation of the bacterial ubiquitin coat, and can only promote formation of linear polyubiquitins on pre-existing ubiquitin. The bacterial ubiquitin coat acts as an 'eat-me' signal for xenophagy and promotes NF-kappa-B activation. Together with OTULIN, the LUBAC complex regulates the canonical Wnt signaling during angiogenesis (By similarity).
{ECO:0000250|UniProtKB:Q9H0F6, ECO:0000269|PubMed:17538631, ECO:0000269|PubMed:21455173, ECO:0000269|PubMed:21455180, ECO:0000269|PubMed:21455181}.

Molecular Weight: 39.9 kDa

UniProt: [Q91WA6](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months