

Datasheet for ABIN7564877 DHX58 Protein (AA 1-678) (His tag)



Overview

Quantity:	1 mg
Target:	DHX58
Protein Characteristics:	AA 1-678
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DHX58 protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant Dhx58 Protein expressed in mammalian cells.
Sequence:	MELRPYQWEV ILPALEGKNI IIWLPTGAGK TRAAAFVAKR HLETVDRGKV VVLVNRVHLV
	SQHAEEFRRM LDKHWTVTTL SGDMGSRAGF GLMARSHDLL ICTAELLQLA LNSSEEDEHV
	ELREFSLIVV DECHHTHKDT VYNTILSRYL EQKLKKAEPL PQVLGLTASP GTGGATKLQG
	AIDHILQLCA NLDTCHIMSP KNCYSQLLMH NPKPCKQYDL CQRRAQDPFG DLIKKLMNQI
	HQQLEMPDLK QQFGTQMYEQ QVVQLCKDAA EAGLQEQRVY ALHLRRYNDA LFIHDTVRAR
	DALDMLQDFY DRERTTKTQM VRAESWLLKL FDDHKNVLGQ LAARGPENPK LEMLERILLK
	QFGSPGHTRG IIFTRTRQTA SSLLLWLRQQ PCLQTVGIKP QMLIGAGNTS QSTHMTQKDQ
	QEVIQEFRDG ILSLLVATSV AEEGLDIAQC NVVVRYGLLT NEISMVQARG RARAGQSVYS
	FLATEGSREM KRELTNEALE VLMEKAVAAV QKMDPDEFKA KIRDLQQASL VKRAARAAHR
	EIQQGQFLPE HVQLLCINCM VAVGYGSDLR KVEGTHHVNV NPNFSVYYTT SQNPVVINKV
	FKDWRPGGTI RCSNCGEVWG FQMIYKSVTL PVLKIGSILL ETPRGKIQAK KWSRVPFSIP
	VFDILQDCTQ SLSELSLD Sequence without tag. The proposed Purification-Tag is based on

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7564877 | 03/29/2025 | Copyright antibodies-online. All rights reserved.

	experiences with the expression system, a different complexity of the protein could make
	another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made

Target Details

Target:	DHX58
Alternative Name:	Dhx58 (DHX58 Products)
Background:	ATP-dependent RNA helicase DHX58 (EC 3.6.4.13) (ATP-dependent helicase LGP2) (Protein
	D11Lgp2) (RIG-I-like receptor 3) (RLR-3) (RIG-I-like receptor Lgp2) (RLR),FUNCTION: Acts as a
	regulator of RIGI and IFIH1/MDA5 mediated antiviral signaling. Cannot initiate antiviral signaling
	as it lacks the CARD domain required for activating MAVS/IPS1-dependent signaling events.
	Can have both negative and positive regulatory functions related to RIGI and IFIH1/MDA5
	signaling and this role in regulating signaling may be complex and could probably depend on
	characteristics of the infecting virus or target cells, or both. Its inhibitory action on RIG-I
	signaling may involve the following mechanisms: competition with RIGI for binding to the viral
	RNA, binding to RIGI and inhibiting its dimerization and interaction with MAVS/IPS1, competing

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7564877 | 03/29/2025 | Copyright antibodies-online. All rights reserved.

	with IKBKE in its binding to MAVS/IPS1 thereby inhibiting activation of interferon regulatory
	factor 3 (IRF3). Its positive regulatory role may involve unwinding or stripping nucleoproteins of
	viral RNA thereby facilitating their recognition by RIGI and IFIH1/MDA5. Involved in the innate
	immune response to various RNA viruses and some DNA viruses such as poxviruses, and also
	to the bacterial pathogen Listeria monocytogenes. Can bind both ssRNA and dsRNA, with a
	higher affinity for dsRNA. Shows a preference to 5'-triphosphorylated RNA, although it can
	recognize RNA lacking a 5'-triphosphate. {ECO:0000269 PubMed:17475874,
	ECO:0000269 PubMed:20080593, ECO:0000269 PubMed:21525357,
	ECO:0000269 PubMed:21533147}.
Molecular Weight:	76.7 kDa
UniProt:	Q99J87
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Application Notes: Restrictions:	
	functional studies yet we cannot offer a guarantee though.
Restrictions:	functional studies yet we cannot offer a guarantee though. For Research Use only
Restrictions: Handling Format:	functional studies yet we cannot offer a guarantee though. For Research Use only Liquid
Restrictions: Handling	functional studies yet we cannot offer a guarantee though. For Research Use only
Restrictions: Handling Format:	functional studies yet we cannot offer a guarantee though. For Research Use only Liquid
Restrictions: Handling Format: Buffer:	functional studies yet we cannot offer a guarantee though. For Research Use only Liquid The buffer composition is at the discretion of the manufacturer.
Restrictions: Handling Format: Buffer: Handling Advice:	functional studies yet we cannot offer a guarantee though. For Research Use only Liquid The buffer composition is at the discretion of the manufacturer. Avoid repeated freeze-thaw cycles.