

Datasheet for ABIN7564936 ATG3 Protein (AA 1-314) (His tag)



Overview Quantity: 1 mg ATG3 Target: Protein Characteristics: AA 1-314 Origin: Mouse Source: HEK-293 Cells Protein Type: Recombinant Purification tag / Conjugate: This ATG3 protein is labelled with His tag. Product Details

Purpose:	Custom-made recombinant Atg3 Protein expressed in mammalian cells.
Sequence:	MQNVINTVKG KALEVAEYLT PVLKESKFKE TGVITPEEFV AAGDHLVHHC PTWQWATGEE
	LKVKAYLPTD KQFLVTKNVP CYKRCKQMEY SDELEAIIEE DDGDGGWVDT YHNTGITGIT
	EAVKEITLES KDSIKLQDCS ALCDEEDEED EGEAADMEEY EESGLLETDE ATLDTRKIVE
	ACKAKADAGG EDAILQTRTY DLYITYDKYY QTPRLWLFGY DEQRQPLTVE HMYEDISQDH
	VKKTVTIENH PHLPPPPMCS VHPCRHAEVM KKIIETVAEG GGELGVHMYL LIFLKFVQAV
	IPTIEYDYTR HFTM Sequence without tag. The proposed Purification-Tag is based on
	experiences with the expression system, a different complexity of the protein could make
	another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7564936 | 03/29/2025 | Copyright antibodies-online. All rights reserved.

	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made

Target Details

0	
Target:	ATG3
Alternative Name:	Atg3 (ATG3 Products)
Background:	Ubiquitin-like-conjugating enzyme ATG3 (EC 2.3.2) (Autophagy-related protein 3) (APG3-
	like),FUNCTION: E2 conjugating enzyme that catalyzes the covalent conjugation of the C-
	terminal Gly of ATG8-like proteins (GABARAP, GABARAPL1, GABARAPL2 or MAP1LC3A) to the
	amino group of phosphatidylethanolamine (PE)-containing lipids in the membrane resulting in
	membrane-bound ATG8-like proteins which is one of the key steps in the development of
	autophagic isolation membranes during autophagosome formation (PubMed:18768753).
	Cycles back and forth between binding to ATG7 for loading with the ATG8-like proteins and
	binding to E3 enzyme, composed of ATG12, ATG5 and ATG16L1 to promote ATG8-like proteins
	lipidation (By similarity). Also play a role as a membrane curvature sensor that facilitates
	LC3/GABARAP lipidation by sensing local membrane stress associated with lipid-packing
	defects as occurs with high molar proportions of conical lipids or strident membrane curvature
	(PubMed:24747438). Interacts with negatively-charged membranes promoting membrane
	tethering and enhancing LC3/GABARAP lipidation (By similarity). Also acts as an autocatalytic
	E2-like enzyme by catalyzing the conjugation of ATG12 to itself in an ATG7-dependent manner,

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7564936 | 03/29/2025 | Copyright antibodies-online. All rights reserved.

	this complex thus formed, plays a role in mitochondrial homeostasis but not in autophagy
	(PubMed:20723759). ATG12-ATG3 conjugation promotes late endosome to lysosome
	trafficking and basal autophagosome maturation via its interaction with PDCD6IP
	(PubMed:25686249). ATG12-ATG3 conjugate is also formed upon viccina virus infection,
	leading to the disruption the cellular autophagy which is not necessary for vaccinia survival and
	proliferation (PubMed:22024753). Promotes primary ciliogenesis by removing OFD1 from
	centriolar satellites via the autophagic pathway (PubMed:24089205).
	{EC0:0000250 UniProtKB:Q9NT62, EC0:0000269 PubMed:18768753,
	ECO:0000269 PubMed:20723759, ECO:0000269 PubMed:22024753,
	EC0:0000269 PubMed:24089205, EC0:0000269 PubMed:24747438,
	ECO:0000269 PubMed:25686249}.
Molecular Weight:	35.8 kDa
UniProt:	Q9CPX6
Pathways:	Autophagy
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
Application Notes:	functional studies yet we cannot offer a guarantee though.
Application Notes: Restrictions:	
	functional studies yet we cannot offer a guarantee though.
Restrictions:	functional studies yet we cannot offer a guarantee though.
Restrictions: Handling	functional studies yet we cannot offer a guarantee though. For Research Use only
Restrictions: Handling Format:	functional studies yet we cannot offer a guarantee though. For Research Use only Liquid
Restrictions: Handling Format: Buffer:	functional studies yet we cannot offer a guarantee though. For Research Use only Liquid The buffer composition is at the discretion of the manufacturer.
Restrictions: Handling Format: Buffer: Handling Advice:	functional studies yet we cannot offer a guarantee though. For Research Use only Liquid The buffer composition is at the discretion of the manufacturer. Avoid repeated freeze-thaw cycles.