

Datasheet for ABIN7564961

Shugoshin Protein (AA 1-517) (His tag)



Overview

Quantity:	1 mg
Target:	Shugoshin (SGOL1)
Protein Characteristics:	AA 1-517
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Shugoshin protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinat Sgo1 Protein expressed in mammalien cells.
Sequence:	MAKERCQKRS FQDTLEDIKN RMKEKRNKNL AGIGKRKSFI VAPGQVPTNT ATLLRYYQDN
	NRLLVLALEN EKSKVREAQD VILQLRKECY YLTCQLYALK EKLTSRQSEE TTQNWKGRPS
	DVVSSIDNTT RDLSGKSLQQ IAVEETDCPY QTTEPSPAVT PETQGCDFDS GKVESTDEVL
	PRTISIRRHL RKDFSNISHS TTLEDCKASP RVAQSLEVKG SRCREVTVTL HRLENVCLWN
	KDQISLCSRL INPAKITETE VILSSKPEQI ESKHKRARKR RAEQRRTKQR CKSKSSLRSK
	GNKNKDKQGL PPTTLDGGIG SCDAYDFNLK GTVHPTPFRQ KMNNGCNKET DSSNSEVSDL
	ECSTSEDESD DLYLPPSKRL RDYRESERAV TRPRSKRGLQ YPDGKERKEV LPSTAPTGIP
	PETQESPRCS LKDVTNILQC PRVKIRKPSL PPKRREDSPA VALTKRRCST IKSYKEPTLA
	SKLRRGDPFT DLCFLNSPIF KQKRGMRCPK RRTKQTQ Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity
	of the protein could make another tag necessary. In case you have a special request, please

contact us. Characteristics: Key Benefits: Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalien cells and purified in one-step affinity chromatography · The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein. If you are not interested in a full length protein, please contact us for individual protein fragments. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. > 90 % as determined by Bis-Tris Page, Western Blot Purity: Grade: custom-made **Target Details** Shugoshin (SGOL1) Target: Alternative Name: Sgo1 (SGOL1 Products) Background: Shugoshin 1 (Shugoshin-like 1), FUNCTION: Plays a central role in chromosome cohesion during mitosis by preventing premature dissociation of cohesin complex from centromeres after prophase, when most of cohesin complex dissociates from chromosomes arms. May act by preventing phosphorylation of the STAG2 subunit of cohesin complex at the centromere, ensuring cohesin persistence at centromere until cohesin cleavage by ESPL1/separase at anaphase. Essential for proper chromosome segregation during mitosis and this function requires interaction with PPP2R1A. Its phosphorylated form is necessary for chromosome congression and for the proper attachment of spindle microtubule to the kinetochore. Necessary for kinetochore localization of PLK1 and CENPF. May play a role in the tension sensing mechanism of the spindle-assembly checkpoint by regulating PLK1 kinetochore affinity. Involved in centromeric enrichment of AUKRB in prometaphase.

{ECO:0000250|UniProtKB:Q5FBB7, ECO:0000269|PubMed:18084284,

Target Details

Expiry Date:

12 months

rarget Details		
	ECO:0000269 PubMed:18331714}.	
Molecular Weight:	59.0 kDa	
UniProt:	Q9CXH7	
Pathways:	Maintenance of Protein Location	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	