

Datasheet for ABIN7564983

POLR3C Protein (AA 1-533) (His tag)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	1 mg
Target:	POLR3C
Protein Characteristics:	AA 1-533
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This POLR3C protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Product Details	
Purpose:	Custom-made recombinat Polr3c Protein expressed in mammalien cells.
Sequence:	MTQAEIKLCS LLLQEHFGEI VEKIGVHLVR TGSQPLRVIA HDTKASLDQV KKALCVLIHH
	NLVLYHVHKR GVVEYEAQCS RVLRMLRYPR YIYTTKTLYG DTGELIVEEL LLNGKMTMSA
	VVKKVADRLT ETMEDGKTMD YAEVSNAFVR LADTHFVQRC PLVPDTDSSD RGPPPPAPTL
	VINEKDMYLV PKLSLIGKGK RRRSSDEDAT GEPKAKKPRY TDNKEPSPDD GIYWQVNLDR
	FHQHFRDQAI VSAVANRMDQ TSSEIVRTML RMSEITTPSS APYTQPLSSN EIFRSLPVGY
	NISKQVLDQY LTLLADDPLE FIGKSGDSGG GMFVINLHKA LASLATATLE SVIQERFGSR
	CARIFRLVLQ KKHLEQKQVE DFAMIPAKEA KDMLYKMLSE NFILLQEIPK TPDHAPSRTF
	YLYTVNVLSA ARMLLHRCYK SIANLIERRQ FETKENKRLL EKSQRVEAIM ASMQATGAEE
	VQLQEIEEMI TAPERQQLET LKRNVNKLDA SEIQVDETIF LLESYIESTM KRQ Sequence without
	tag. The proposed Purification-Tag is based on experiences with the expression system, a
	different complexity of the protein could make another tag necessary. In case you have a

special request, please contact us. Characteristics: Key Benefits: Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalien cells and purified in one-step affinity chromatography · The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein. If you are not interested in a full length protein, please contact us for individual protein fragments. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. > 90 % as determined by Bis-Tris Page, Western Blot Purity: custom-made Grade: **Target Details** POLR3C Target: Alternative Name: Polr3c (POLR3C Products) Background: DNA-directed RNA polymerase III subunit RPC3 (RNA polymerase III subunit C3) (DNA-directed RNA polymerase III subunit C), FUNCTION: DNA-dependent RNA polymerase catalyzes the transcription of DNA into RNA using the four ribonucleoside triphosphates as substrates (By similarity). Specific peripheric component of RNA polymerase III (Pol III) which synthesizes small non-coding RNAs including 5S rRNA, snRNAs, tRNAs and miRNAs from at least 500 distinct genomic loci. Part of POLR3C/RPC3-POLR3F/RPC6-POLR3G/RPC7 heterotrimer, coordinates the dynamics of Pol III stalk and clamp modules during the transition from apo to

elongation state (By similarity). Pol III plays a key role in sensing and limiting infection by

intracellular bacteria and DNA viruses. Acts as a nuclear and cytosolic DNA sensor involved in innate immune response. Can sense non-self dsDNA that serves as template for transcription

into dsRNA. The non-self RNA polymerase III transcripts, such as Epstein-Barr virus-encoded

RNAs (EBERs) induce type I interferon and NF-kappa-B through the RIG-I pathway. Preferentially

Target Details

Expiry Date:

12 months

	binds single-stranded DNA (ssDNA) in a sequence-independent manner (By similarity). {ECO:0000250 UniProtKB:Q9BUI4}.	
Molecular Weight:	60.7 kDa	
UniProt:	Q9D483	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	