

Datasheet for ABIN7564991 SLC6A19 Protein (AA 1-634) (His tag)



Go to Product page

Quantity:	1 mg
Target:	SLC6A19
Protein Characteristics:	AA 1-634
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC6A19 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinat Slc6a19 Protein expressed in mammalien cells.
Sequence:	MVRLVLPNPG LEERIPSLDE LEVIEKEEAG SRPKWDNKAQ YMLTCVGFCV GLGNVWRFPY
	LCQSHGGGAF MIPFLILLVF EGIPLLYLEF AIGQRLRKGS MGVWSSIHPA LKGIGIASMF
	VSFMVGLYYN TIIAWVMWYF FNSFQEPLPW SECPLNQNQT GYVEECAKSS SVDYFWYRET
	LNISTSISDS GSIQWWILLC LTCAWSVLYV CIIRGIETTG KAVYITSTLP YVVLTIFLIR GLTLKGATNG
	IVFLFTPNIT ELSNPNTWLD AGAQVFYSFS LAFGGLISFS SYNSVHNNCE MDSVIVSVIN
	GFTSVYAATV VYSIIGFRAT ERFDDCVNTN ILTLINGFDL PEGNVTSENF EAYQQWCNAT
	NPQAYAQLKF QTCDINSFLS EGVEGTGLAF IVFTEAITKM PVSPLWSVLF FIMLFCLGLS
	SMFGNMEGVV VPLQDLNITP KKWPKELLTG LICLGTYLIA FIFTLNSGQY WLSLLDSFAG
	SIPLLIIAFC EMFAVVYVYG VDRFNKDIEF MIGHKPNIFW QVTWRVVSPL IMLVIFLFFF
	VIEVNKTLMY SIWDPNYEEF PKSQKIPYPN WVYAVVVTVA GVPCLSIPCF AIYKFIRNCC
	QKSDDHHGLV NTLSTASVNG DLKN Sequence without tag. The proposed Purification-Tag is

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7564991 | 03/08/2025 | Copyright antibodies-online. All rights reserved.

	based on experiences with the expression system, a different complexity of the protein
	could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalien cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made
Target Details	
Target:	SLC6A19

Alternative Name: Slc6a19 (SLC6A19 Products) Background: Sodium-dependent neutral amino acid transporter B(0)AT1 (Solute carrier family 6 member 1 (System B(0) neutral amino acid transporter AT1),FUNCTION: Transporter that mediates resorption of neutral amino acids across the apical membrane of renal and intestinal epithelia cells (PubMed:18424768, PubMed:17167413, PubMed:26240152, PubMed:19185582, PubMed:15044460). This uptake is sodium-dependent and chloride-independent (PubMed:18424768, PubMed:19185582, PubMed:15044460, PubMed:21636576, PubMed:26240152). Requires CLTRN in kidney or ACE2 in intestine for cell surface expression and amino acid transporter activity (PubMed:18424768, PubMed:17167413, PubMed:17167413, PubMed:19185582, PubMed:19185582, PubMed:19185582, PubMed:19185582, PubMed:19185582, PubMed:19185582, PubMed:19185582, PubMed:19185582, PubMed:18424768, PubMed:17167413, PubMed:17167413, ECO:0000269 PubMed:15044460, ECO:0000269 PubMed:17167413, ECO:0000269 PubMed:18424768, PubMed:18424768, PubMed:19185582, PubMed:19185582, PubMed:19185582, PubMed:19185582, PubMed:18424768, PubMed:18424768, PubMed:17167413, PubMed:19185582, PubMed:17167413, ECO:0000269 PubMed:18424768, PubMed:18424768, PubMed:18424768, PubMed:18424768, PubMed:19185582, PubMed:17167413, ECO:0000269 PubMed:18424768, PubMed:18424768, PubMed:18424768, PubMed:18424768, PubMed:19185582, PubMed:17167413, ECO:0000269 PubMed:18424768, PubMed:1842476
(System B(0) neutral amino acid transporter AT1),FUNCTION: Transporter that mediates resorption of neutral amino acids across the apical membrane of renal and intestinal epithelia cells (PubMed:18424768, PubMed:17167413, PubMed:26240152, PubMed:19185582, PubMed:15044460). This uptake is sodium-dependent and chloride-independent (PubMed:18424768, PubMed:19185582, PubMed:15044460, PubMed:21636576, PubMed:26240152). Requires CLTRN in kidney or ACE2 in intestine for cell surface expressio and amino acid transporter activity (PubMed:18424768, PubMed:17167413, PubMed:19185582, PubMed:22677001). {ECO:0000269 PubMed:15044460,
resorption of neutral amino acids across the apical membrane of renal and intestinal epithelia cells (PubMed:18424768, PubMed:17167413, PubMed:26240152, PubMed:19185582, PubMed:15044460). This uptake is sodium-dependent and chloride-independent (PubMed:18424768, PubMed:19185582, PubMed:15044460, PubMed:21636576, PubMed:26240152). Requires CLTRN in kidney or ACE2 in intestine for cell surface expressio and amino acid transporter activity (PubMed:18424768, PubMed:17167413, PubMed:19185582, PubMed:22677001). {ECO:0000269]PubMed:15044460,
cells (PubMed:18424768, PubMed:17167413, PubMed:26240152, PubMed:19185582, PubMed:15044460). This uptake is sodium-dependent and chloride-independent (PubMed:18424768, PubMed:19185582, PubMed:15044460, PubMed:21636576, PubMed:26240152). Requires CLTRN in kidney or ACE2 in intestine for cell surface expressio and amino acid transporter activity (PubMed:18424768, PubMed:17167413, PubMed:19185582, PubMed:22677001). {ECO:0000269 PubMed:15044460,
PubMed:15044460). This uptake is sodium-dependent and chloride-independent (PubMed:18424768, PubMed:19185582, PubMed:15044460, PubMed:21636576, PubMed:26240152). Requires CLTRN in kidney or ACE2 in intestine for cell surface expressio and amino acid transporter activity (PubMed:18424768, PubMed:17167413, PubMed:19185582, PubMed:22677001). {ECO:0000269 PubMed:15044460,
(PubMed:18424768, PubMed:19185582, PubMed:15044460, PubMed:21636576, PubMed:26240152). Requires CLTRN in kidney or ACE2 in intestine for cell surface expressio and amino acid transporter activity (PubMed:18424768, PubMed:17167413, PubMed:19185582, PubMed:22677001). {ECO:0000269 PubMed:15044460,
PubMed:26240152). Requires CLTRN in kidney or ACE2 in intestine for cell surface expressio and amino acid transporter activity (PubMed:18424768, PubMed:17167413, PubMed:19185582, PubMed:22677001). {ECO:0000269 PubMed:15044460,
and amino acid transporter activity (PubMed:18424768, PubMed:17167413, PubMed:19185582, PubMed:22677001). {ECO:0000269 PubMed:15044460,
PubMed:19185582, PubMed:22677001). {ECO:0000269 PubMed:15044460,
EC0:0000269IPubMed:17167413. EC0:0000269IPubMed:18424768.
ECO:0000269 PubMed:19185582, ECO:0000269 PubMed:21636576,

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7564991 | 03/08/2025 | Copyright antibodies-online. All rights reserved.

Target Details	
	ECO:0000269 PubMed:22677001, ECO:0000269 PubMed:26240152}.
Molecular Weight:	71.4 kDa
UniProt:	Q9D687
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months