

Datasheet for ABIN7565063
FIP200 Protein (AA 1-1588) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	FIP200 (RB1CC1)
Protein Characteristics:	AA 1-1588
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This FIP200 protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant Rb1cc1 Protein expressed in mammalian cells.
Sequence:	<p>MKLYVFLVNT GTTLTFDEL TVQTVADLKH AIQSKYKIAI QHQVLVWNGG ECMAADRRVC TYSAGDTNP IFLFNKEMIL CDRAPAIPKA TFASTENDMEI KVEESLMMPA VFHTVASRTQ LAVEMYDVAK KLCSFCEGLV HDEHLQHGW AAIMANLEDC SNSYQKLLFK FESIYSDYLQ SIEDIKLKLTL HLGTAHSVMA KIPILLECLTR HSYRECLGRP DSLNEHEGSE KAEMKRSTEL VLSPDMPRTT NTSLVTSFHK SMEHVAPDPT GTERGKELRE SCQSTVQQEE ASVDAKSDSL PFFNVSLLDW INVQDRPNDV ESLVRKCFDS MSRLDPKIIQ PFMLECHQTI AKLDNQNMQA IKGLEDRLYA LDQMIASCSR LVNEQKELAQ GFLANQMRAE NLKDASVLPD LCLSHANQLM IMLQNHKLL DIKQKCTTAK QELANNLHVR LKWCCFVMLH ADQDGEKLQA LLRLVIELLE RVRIVEALST VPQMYCLAVV EVVRRKMFVK HYREWAGALV KDGKQLYEAE KSKRESFGKL FRKSFLRNRL FKGLDSWPSS FCTQKPRKFD CELPDISLKD LQFLQSFQPS EVQPFLRVPL LCDFEPLHQH VLALHNLVKA AQLDEMSQT ITDLLNEQKV STSQASPQSA ASPRIESTTG ITTTTSPKTP PPLTVQDTLC PAVCPLEELS PDSIDAHTFD FETISHPNTQ QPVHQASIDL</p>

DSLAESPESD FMSAVNEFVI EENLSSPNPI SDPQSPPEMMV ESLYSSVINA IDSRRMQDTS
TRGNEFGDR AALHVQLEKC RAAQDSHSS IQTIKDDLCH FRTFVQKEQC DLANYLKCTA
VEIRNIEKV KCSLEITLKE KHQQELQSLK IEYECKLDAL VKDSEENVNK ILKLENLVS
LEEALQNKDN EFTSIKHEKD AIVCVQKEKD QKLLEMEKIM HTQHCEIKEL KQSREMALED
LKKLHDEKIE SLRAEFQCLE QNHLKELEDT LHIRHTQEFE KVMTDHNMSL EKLKKNQQR
IDQMLESHAS TIQEKEQQLQ ELKLVSDLS DMRCKLEVEL ALKEAETDEI KILLEESRTQ
QKEMLKSLLE QETENLRTEI SKLNQKIHDN NESYQVGLSE LRALMTIEKD QCISELISRH
EESNILKAE LDNVTSLHRQ AYEIEKKLKE QIVELQTRLN SELSALEKQK DEKITQQEEK
YEALIQNLEK DKERLVKNHE QDKEHLIQEL NFEKNKAVQT ALDEFKVERE LVEKELLEKV
KHLENQIAKT PAFESAREDS SSLVAELQEK LQEEKAKFLE QLEEQEKRKN EEMQNVRTSL
IAEQQTNFNT VLTREKMRKE NIINDLSDKL KSTMQQQERD KDLIESLSED RARLLEEKKQ
LEEEVSKLRT SSFLSSAPVA APELYGACA PELPGEPERS VMETADEGRL DSAMETSMMS
VQENMLSEEK QRIMLLERTL QLKEEENKRL NQRLMSQSLS SVSSRHSEKI AIRDFQVGDL
VLIILDERHD NYVLFTVSPT LYFLHSESLP ALDLKPGEGA SGASRRPWVL GKVMEKEYCQ
AKKAQNRFKV PLGTFYRVK AVSWNKKV **Sequence without tag. The proposed Purification-
Tag is based on experiences with the expression system, a different complexity of the
protein could make another tag necessary. In case you have a special request, please
contact us.**

Specificity: If you are looking for a specific domain and are interested in a partial protein or a different isoform, please contact us regarding an individual offer.

Characteristics: Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Product Details

Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made

Target Details

Target:	FIP200 (RB1CC1)
Alternative Name:	Rb1cc1 (RB1CC1 Products)

Background: RB1-inducible coiled-coil protein 1 (Coiled-coil-forming protein 1) (FAK family kinase-interacting protein of 200 kDa) (FIP200) (LaXp180),FUNCTION: Involved in autophagy (PubMed:23262492, PubMed:19258318). Regulates early events but also late events of autophagosome formation through direct interaction with Atg16L1 (PubMed:23392225, PubMed:23285000, PubMed:19258318). Required for the formation of the autophagosome-like double-membrane structure that surrounds the Salmonella-containing vacuole (SCV) during S.typhimurium infection and subsequent xenophagy (PubMed:21525242). Involved in repair of DNA damage caused by ionizing radiation, which subsequently improves cell survival by decreasing apoptosis (PubMed:21807966). Inhibits PTK2/FAK1 and PTK2B/PYK2 kinase activity, affecting their downstream signaling pathways (By similarity). Plays a role as a modulator of TGF-beta-signaling by restricting substrate specificity of RNF111 (PubMed:21795712). Functions as a DNA-binding transcription factor (PubMed:12095676). Is a potent regulator of the RB1 pathway through induction of RB1 expression (PubMed:15968549). Plays a crucial role in muscular differentiation (PubMed:15968549). Plays an indispensable role in fetal hematopoiesis and in the regulation of neuronal homeostasis (PubMed:19940130, PubMed:21088496). {ECO:0000250|UniProtKB:Q8TDY2, ECO:0000269|PubMed:12095676, ECO:0000269|PubMed:15968549, ECO:0000269|PubMed:19258318, ECO:0000269|PubMed:19940130, ECO:0000269|PubMed:21088496, ECO:0000269|PubMed:21525242, ECO:0000269|PubMed:21795712, ECO:0000269|PubMed:21807966, ECO:0000269|PubMed:23262492, ECO:0000269|PubMed:23285000, ECO:0000269|PubMed:23392225}.

Molecular Weight:	182.4 kDa
UniProt:	Q9ESK9
Pathways:	Regulation of Cell Size, Autophagy

Application Details

Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for

Application Details

functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months
