

Datasheet for ABIN7565078  
**IDE Protein (AA 1-1019) (His tag)**



[Go to Product page](#)

## Overview

Quantity:	1 mg
Target:	IDE
Protein Characteristics:	AA 1-1019
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IDE protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

## Product Details

Purpose:	Custom-made recombinat Ide Protein expressed in mammalien cells.
Sequence:	MRNGLVWLLH PALPGTLRSI LGARPPPAKR LCGFPKQTYSTMSNPAIQRI EDQIVKSPED KREYRGLELA NGIKVLLISD PTTDKSSAAL DVHIGSLSDP PNIPGLSHFC EHMLFLGTTK YPKENEYSQF LSEHAGSSNA FTSGEHTNYY FVDSHEHLEG ALDRFAQFFL CPLLDASCKD REVNAV DSEH EKNVMNDAWR LFQLEKATGN PKHPFSKFGT GNKYTLETRP NQEGIDVREE LLKFHSTYYS SNLMAICVLG RESLDDLNL VVKLFSEVEN KNVPLPEFPE HPFQEEHLRQ LYKIVPIKDI RNLYVTFPIP DLQQYYKSNP GYYLGHIGH EPGSLLSEL KSKGWNTLV GGQKEGARGF MFFIINVDLT EEGLLHVEDI ILHMFQYIQK LRAEGPQEWV FQECKDLNAV AFRFKDKERP RGYTSKIAGK LHYYPLNGVL TAEYLLEEFR PDLIDMVLDK LRPENVRVAI VSKSFEKTD RTEQWYGTQY KQEAIPEDVI QKWQNADLNG KFKLPTKNEF IPTNFEILSL EKDATPYPAL IKDTAMSKLW FKQDDKFFLP KACLNFEFFS PFAYVDPLHC NMAYLYLELL KDSLNEYAYA AELAGLSYDL QNTIYGMYS VKRYNDKQPI LLKKITEKMA TFEIDKKRFE

## Product Details

---

IIKEAYMRSLLNFRAEQPHQHAMYYLRLLMTEVAWTKDELKEALDDVTLPRLKAFIPQLL  
SRLHIEALLHGNITKQAALGVMQMVEDTLIEHAHTKPLLPQLVRYREVQLPDRGWVYQ  
QRNEVHNNCGIEIYYQTDMSSTENMFLELFCQIIEPCFNTLRTKEQLGYVFSGPRRA  
NGIQGLRFIIQSEKPPHYLESRVEAFLITMEKAIEDMTEEAFQKHIQALAIRLDKPKKL  
SAECAKYWGEIISQQYNYDRDNIEVAYLKT LTKDDIIRFYQEMLAVDAPRRHKVSVHVLA  
REMDSCPVVG EFPSQNDINLSEAPPLPQPEVIHNMTEFKRGLPLFPLVKPHINFMAAKL

**Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary.**

**In case you have a special request, please contact us.**

---

### Characteristics:

#### Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

---

Purity: > 90 % as determined by Bis-Tris Page, Western Blot

---

Grade: custom-made

---

## Target Details

---

Target: IDE

---

Alternative Name: Ide ([IDE Products](#))

---

Background: Insulin-degrading enzyme (EC 3.4.24.56) (Insulin protease) (Insulinase) (Insulysin),FUNCTION: Plays a role in the cellular breakdown of insulin, APP peptides, IAPP peptides, natriuretic peptides, glucagon, bradykinin, kallidin, and other peptides, and thereby plays a role in intercellular peptide signaling (PubMed:9830016, PubMed:12634421, PubMed:12732730,

---

## Target Details

---

PubMed:24847884, PubMed:26394692). Substrate binding induces important conformation changes, making it possible to bind and degrade larger substrates, such as insulin (By similarity). Contributes to the regulation of peptide hormone signaling cascades and regulation of blood glucose homeostasis via its role in the degradation of insulin, glucagon and IAPP (PubMed:24847884, PubMed:26394692). Plays a role in the degradation and clearance of APP-derived amyloidogenic peptides that are secreted by neurons and microglia (PubMed:9830016). Degrades the natriuretic peptides ANP, BNP and CNP, inactivating their ability to raise intracellular cGMP (By similarity). Also degrades an aberrant frameshifted 40-residue form of NPPA (fsNPPA) which is associated with familial atrial fibrillation in heterozygous patients (By similarity). Involved in antigen processing. Produces both the N terminus and the C terminus of MAGEA3-derived antigenic peptide (EVDPIGHLY) that is presented to cytotoxic T lymphocytes by MHC class I. {ECO:0000250|UniProtKB:P14735, ECO:0000269|PubMed:12634421, ECO:0000269|PubMed:12732730, ECO:0000269|PubMed:24847884, ECO:0000269|PubMed:26394692, ECO:0000269|PubMed:9830016}.

---

Molecular Weight: 117.8 kDa

---

UniProt: [Q9JHR7](#)

---

Pathways: [SARS-CoV-2 Protein Interactome](#)

## Application Details

---

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

---

Restrictions: For Research Use only

## Handling

---

Format: Liquid

---

Buffer: The buffer composition is at the discretion of the manufacturer.

---

Handling Advice: Avoid repeated freeze-thaw cycles.

---

Storage: -80 °C

---

Storage Comment: Store at -80°C.

---

Expiry Date: 12 months