

## Datasheet for ABIN7565107 CNGB3 Protein (AA 1-694) (His tag)



## Overview

| Quantity:                     | 1 mg   |
|-------------------------------|--|
| Target:                       | CNGB3  |
| Protein Characteristics:      | AA 1-694                                     |
| Origin:                       | Mouse  |
| Source:                       | HEK-293 Cells                                |
| Protein Type:                 | Recombinant                                  |
| Purification tag / Conjugate: | This CNGB3 protein is labelled with His tag. |

| Product Details |   |
|-----------------|---|
| Purpose:        | Custom-made recombinant Cngb3 Protein expressed in mammalian cells.               |
| Sequence:       | MLKSLTVKFN KVNPMEGRME KKLCPNLSSL SQPTIAQGDN QSEKEPLRSR TPITFEKSHS                 |
|                 | KEDNSTGENS LRDFTPNPDP ECRAELTRTM AEMEKTRTGK ERPVSFKTKV LETSIINEYT                 |
|                 | DAHLHNLVER MRERTALYKK TLTEEENFPE VEASSQTAMS TNISPKQENN SKLKEHQDTF                 |
|                 | SFKPQRVPVK EHLRRMILPR SIDSYTDRVY LLWLLLVTIA YNWNCWLLPV RLVFPCQTPD                 |
|                 | NKNYWIITDI VCDIIYLCDI LLIQPRLQFV RGGEIIVDSN ELKRNYRSST KFRMDVASLL PFEVLYIFFG      |
|                 | VNPIFRANRI LKYTSFFEFN HHLESIMDKA YVYRVIRTTG YLLFLLHINA CVYYWASDYE                 |
|                 | GIGSTKWVYN GEGNKYLRCF YWAVRTLITI GGLPEPQTSF EIVFQFLNFF SGVFVFSSLI                 |
|                 | GQMRDVIGAA TANQNYFQAC MDHIIAYMNK YSIPQSVQYR VRTWLEYTWN SQRILDESNL                 |
|                 | LENLPTAMQL SIALDINFSI IDKVELFKGC DTQMIYDLLL RLKSTIYLPG DFVCKKGEIG                 |
|                 | KEMYIIKHGE VQVLGGPDGA QVLVTLKAGS VFGEISLLAK GGGNRRTADV VAHGFANLLT                 |
|                 | LDKKTLQEIL LHYPTSKKLL MKKAKILLSQ KGKTTQAIPA RPGPAFLFPP KEETPRMLKV                 |
|                 | LLGNTGKVDL GRLLKGKRKT TTQK Sequence without tag. The proposed Purification-Tag is |

|                   | based on experiences with the expression system, a different complexity of the protein   |
|-------------------|--|
|                   | could make another tag necessary. In case you have a special request, please contact us.   |
| Specificity:      | If you are looking for a specific domain and are interested in a partial protein or a different  |
|                   | isoform, please contact us regarding an individual offer.  |
| Characteristics:  | Key Benefits:  |
|                   | Made to order protein - from design to production - by highly experienced protein experts.   |
|                   | <ul> <li>Protein expressed in mammalian cells and purified in one-step affinity chromatography</li> <li>The optimized expression system ensures reliability for intracellular, secreted and</li> </ul> |
|                   | transmembrane proteins.  |
|                   | State-of-the-art algorithm used for plasmid design (Gene synthesis).   |
|                   | This protein is a made-to-order protein and will be made for the first time for your order. Our  |
|                   | experts in the lab try to ensure that you receive soluble protein.   |
|                   | If you are not interested in a full length protein, please contact us for individual protein   |
|                   | fragments.   |
|                   | The big advantage of ordering our made-to-order proteins in comparison to ordering custom  |
|                   | made proteins from other companies is that there is no financial obligation in case the protein  |
|                   | cannot be expressed or purified.   |
| Purity:           | > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC   |
| Grade:            | custom-made  |
| Target Details    |  |
| Target:           | CNGB3  |
| Alternative Name: | Cngb3 (CNGB3 Products)   |
| Background:       | Cyclic nucleotide-gated cation channel beta-3 (Cone photoreceptor cGMP-gated channel   |
|                   | subunit beta) (Cyclic nucleotide-gated cation channel modulatory subunit) (Cyclic nucleotide-  |
|                   | gated channel beta-3) (CNG channel beta-3) (Cyclic nucleotide-gated channel subunit  |
|                   | CNG6),FUNCTION: Visual signal transduction is mediated by a G-protein coupled cascade usir   |
|                   | cGMP as second messenger. This protein can be activated by cGMP which leads to an openin   |
|                   | of the cation channel and thereby causing a depolarization of rod photoreceptors. Essential fo   |
|                   |  |
|                   | the generation of light-evoked electrical responses in the red-, green- and blue sensitive cones   |

presence of extracellular calcium, increased sensitivity for L-cis diltiazem and enhanced the

## **Target Details**

Expiry Date:

12 months

|                     | cAMP efficacy of the channel when coexpressed with CNGA3. {ECO:0000250, ECO:0000269 PubMed:10662822}. |  |
|---------------------|---|--|
| Molecular Weight:   | 79.7 kDa  |  |
| UniProt:            | Q9JJZ9  |  |
| Application Details |   |  |
| Application Notes:  | We expect the protein to work for functional studies. As the protein has not been tested for          |  |
|                     | functional studies yet we cannot offer a guarantee though.  |  |
| Restrictions:       | For Research Use only   |  |
| Handling            |   |  |
| Format:             | Liquid  |  |
| Buffer:             | The buffer composition is at the discretion of the manufacturer.                                      |  |
| Handling Advice:    | Avoid repeated freeze-thaw cycles.  |  |
| Storage:            | -80 °C  |  |
| Storage Comment:    | Store at -80°C.   |  |
|                     |   |  |