

Datasheet for ABIN7565127 **DARC Protein (AA 1-334) (His tag)**



Overview

Quantity:	1 mg
Target:	DARC
Protein Characteristics:	AA 1-334
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DARC protein is labelled with His tag.

Product Details

Custom-made recombinant Ackr1 Protein expressed in mammalian cells.
MGNCLYPVET LSLDKNGTQF TFDSWNYSFE DNYSYELSSD YSLTPAAPCY SCNLLDRSSL
PFFMLTSVLG MLASGSILFA ILRPFFHWQI CPSWPILAEL AVGSALFSIA VPILAPGLHS
AHSTALCNLG YWVWYTSAFA QALLIGCYAC LNPRLNIGQL RGFTLGLSVG LWGAAALSGL
PVALASDVYN GFCTFPSSRD MEALKYTHYA ICFTIFTVLP LTLLAAKGLK IALSKGPGPW
VSVLWIWFIF WWPHGMVLIF DALVRSKTVL LYTCQSQKIL DAMLNVTEAL SMLHCVATPL
LLALFCHQTT RRSLSSLSLP TRQASQMDAL AGKS Sequence without tag. The proposed
Purification-Tag is based on experiences with the expression system, a different complexity
of the protein could make another tag necessary. In case you have a special request, please
contact us.
If you are looking for a specific domain and are interested in a partial protein or a different
isoform, please contact us regarding an individual offer.
Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade:

custom-made

Target Details

Target:	DARC
Target:	DAR

Alternative Name: Ackr1 (DARC Products)

Background:

Atypical chemokine receptor 1 (Duffy antigen/chemokine receptor) (CD antigen CD234),FUNCTION: Atypical chemokine receptor that controls chemokine levels and localization via high-affinity chemokine binding that is uncoupled from classic ligand-driven signal transduction cascades, resulting instead in chemokine sequestration, degradation, or transcytosis. Also known as interceptor (internalizing receptor) or chemokine-scavenging receptor or chemokine decoy receptor. Has a promiscuous chemokine-binding profile, interacting with inflammatory chemokines of both the CXC and the CC subfamilies but not with homeostatic chemokines. Acts as a receptor for chemokines including CCL2, CCL5, CCL7, CCL11, CCL13, CCL14, CCL17, CXCL5, CXCL6, IL8/CXCL8, CXCL11, GRO, RANTES, MCP-1 and TARC. May regulate chemokine bioavailability and, consequently, leukocyte recruitment through two distinct mechanisms: when expressed in endothelial cells, it sustains the abluminal to luminal transcytosis of tissue-derived chemokines and their subsequent presentation to circulating leukocytes, when expressed in erythrocytes, serves as blood reservoir of cognate chemokines but also as a chemokine sink, buffering potential surges in plasma chemokine

Target Details

Expiry Date:

12 months

Target Details	
	levels (By similarity). {ECO:0000250}.
Molecular Weight:	36.7 kDa
UniProt:	Q9QUI6
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
	functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.