

Datasheet for ABIN7565151 FBXW5 Protein (AA 1-573) (His tag)



Overview

Quantity:	1 mg
Target:	FBXW5
Protein Characteristics:	AA 1-573
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This FBXW5 protein is labelled with His tag.

Product Details

YRYYQVARDV
YRYYQVARDV
SKDCTVKIWN
AVISLDSFAL
IVNVVKRLFK
DPGLHTSGS
NKYLIFTTGC
GLSPDNRYL
PNDECFFIFL
TASDDATIKA
The proposed
different complexity
ecial request, please
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

Product Details

	contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein
	fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC
Grade:	custom-made
Target Details	
Target:	FBXW5
Alternative Name:	Fbxw5 (FBXW5 Products)
Background:	F-box/WD repeat-containing protein 5 (F-box and WD-40 domain-containing protein
Background:	F-box/WD repeat-containing protein 5 (F-box and WD-40 domain-containing protein 5),FUNCTION: Substrate recognition component of both SCF (SKP1-CUL1-F-box protein) and
Background:	
Background:	5),FUNCTION: Substrate recognition component of both SCF (SKP1-CUL1-F-box protein) and
Background:	5),FUNCTION: Substrate recognition component of both SCF (SKP1-CUL1-F-box protein) and DCX (DDB1-CUL4-X-box) E3 ubiquitin-protein ligase complexes. Substrate-specific adapter of
Background:	5),FUNCTION: Substrate recognition component of both SCF (SKP1-CUL1-F-box protein) and DCX (DDB1-CUL4-X-box) E3 ubiquitin-protein ligase complexes. Substrate-specific adapter of the DCX(FBXW5) E3 ubiquitin-protein ligase complex which mediates the polyubiquitination a subsequent degradation of TSC2. May also act as a negative regulator of MAP3K7/TAK1
Background:	5),FUNCTION: Substrate recognition component of both SCF (SKP1-CUL1-F-box protein) and DCX (DDB1-CUL4-X-box) E3 ubiquitin-protein ligase complexes. Substrate-specific adapter of the DCX(FBXW5) E3 ubiquitin-protein ligase complex which mediates the polyubiquitination a

reduplication (By similarity). The SCF(FBXW5) complex also mediates ubiquitination and

degradation of actin-regulator EPS8 during G2 phase, leading to the transient degradation of

Target Details

Expiry Date:

12 months

Target Details	
	EPS8 and subsequent cell shape changes required to allow mitotic progression. {EC0:0000250, EC0:0000269 PubMed:23314863}.
Molecular Weight:	64.6 kDa
UniProt:	Q9QXW2
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.