

# Datasheet for ABIN7565197 **Nibrin Protein (NBN) (AA 1-751) (His tag)**



## Overview

Quantity:	1 mg
Target:	Nibrin (NBN)
Protein Characteristics:	AA 1-751
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Nibrin protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Purpose:	Custom-made recombinat Nbn Protein expressed in mammalien cells.
Sequence:	MWKLLPAAGA APGEPYRLLA GVEYVVGRKN CGILIENDQS ISRNHAVLTV NFPVTSLSQT
	DEIPTLTIKD NSKYGTFVNE EKMQTGLSCT LKTGDRVTFG VFESKFRVEY EPLVVCSSCL
	DVSGKTVLNQ AILQLGGLTA NNWTEECTHL VMSAVKVTIK TICALICGRP IIKPEYFSEF
	LKAVESKKQP PDIESFYPPI DEPAIGSKSV DLSGRHERKQ IFKGKTFVFL NAKQHKKLSS
	AVAFGGGEAR LMAEDDEEEQ SFFSAPGTCV VDVGITNTQL IISHSQKKWI HLIMDTLQRN
	GLRPIPEAEI GLAVIFMTTE NYCNPQGQPC TELKTTTPGP SLSQVLSANG KIIPSAPVNM
	TTYVADTESE PADTCMPLSE RPEEVKIPGL EQSSRKLSQE TFNIKEAPKP SSKANNVASD
	TLVRGKTPSY QLSPMKFPVA NKNKDWTSQQ QQNSIKNYFQ PCTRKRERDE DNPELSSCKS
	SRMELSCSLL EQTQPAGPSL WKSKEHQSQN ATLDREADTS SVGGMDIELN RKSPDRKPLP
	TETLRPRKRK DVDLATEEEV LEELLRSTKP ELAVQVKVEK QEADDTIRKK PRMDAERNRP
	LNGGSEPESN SALQEDEREK KDELQTESWS TKHEIANSDG LQDSSEELPR KLLLTEFRSL

VVSNHNSTSR NLCVNECGPL KNFKKFKKAT FPGAGKLPHI IGGSDLVGHH ARKNTELEEW
LKQEMEVQKQ QAKEESLADD LFRYNPNVKR R Sequence without tag. The proposed
Purification-Tag is based on experiences with the expression system, a different complexity
of the protein could make another tag necessary. In case you have a special request, please
contact us.

#### Characteristics:

Key Benefits:

- Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

### Grade:

custom-made

## Target Details

Target:	Nibrin (NBN)
Alternative Name:	Nbn (NBN Products)
Background:	Nibrin (Cell cycle regulatory protein p95) (Nijmegen breakage syndrome protein 1 homolog),FUNCTION: Component of the MRE11-RAD50-NBN (MRN complex) which plays a critical role in the cellular response to DNA damage and the maintenance of chromosome

possesses single-strand endonuclease activity and double-strand-specific 3'-5' exonuclease activity, which are provided by MRE11. RAD50 may be required to bind DNA ends and hold them in close proximity. NBN modulate the DNA damage signal sensing by recruiting PI3/PI4-

integrity. The complex is involved in double-strand break (DSB) repair, DNA recombination, maintenance of telomere integrity, cell cycle checkpoint control and meiosis. The complex

kinase family members ATM, ATR, and probably DNA-PKcs to the DNA damage sites and activating their functions. It can also recruit MRE11 and RAD50 to the proximity of DSBs by an interaction with the histone H2AX. NBN also functions in telomere length maintenance by generating the 3' overhang which serves as a primer for telomerase dependent telomere elongation. NBN is a major player in the control of intra-S-phase checkpoint and there is some evidence that NBN is involved in G1 and G2 checkpoints. The roles of NBS1/MRN encompass DNA damage sensor, signal transducer, and effector, which enable cells to maintain DNA integrity and genomic stability. Forms a complex with RBBP8 to link DNA double-strand break sensing to resection. Enhances AKT1 phosphorylation possibly by association with the mTORC2 complex (By similarity). {ECO:0000250|UniProtKB:060934}.

Molecular Weight:	83.8 kDa
UniProt:	Q9R207

DNA Damage Repair, Production of Molecular Mediator of Immune Response

## **Application Details**

Pathways:

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

## Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months