

Datasheet for ABIN7565209 **RLIM Protein (AA 1-600) (His tag)**



Overview

Quantity:	1 mg
Target:	RLIM
Protein Characteristics:	AA 1-600
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RLIM protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Purpose:	Custom-made recombinat Rlim Protein expressed in mammalien cells.
Sequence:	MENSDSNDKG SDQSAAQRRS QMDRLDREEA FYQFVNNLSE EDYRLMRDNN LLGTPGESTE
	EELLRRLQQI KEGPPPQSPD ENRAGESSDD VTNSDSIIDW LNSVRQTGNT TRSGQRGNQS
	WRAVSRTNPN SGDFRFSLEI NVNRNNGSQT SENESEPSTR RLSVENMESS SQRQMENSAS
	ESASARPSRA ERNSAEAVTE VPTTRAQRRA RSRSPEHRRT RARAERSRSP LQPTSEIPRR
	APTLEQSSEN EPEGSSRTRH HVTLRQQISG PELLGRGLFA ASGSRNPSQG TSSSDTGSNS
	ESSGSGQRPP TIVLDLQVRR VRPGEYRQRD SIASRTRSRS QAPNNTVTYE SERGGFRRTF
	SRSERAGVRT YVSTIRIPIR RILNTGLSET TSVAIQTMLR QIMTGFGELS YFMYSDSDSE
	PSASVSSRNV ERVESRNGRG SSGGGNSSGS SSSSSPSPSS SGESSESSSE MFEGSSEGGS
	SGPSRRDGRH RAPVTFDESG SLPFLSLAQF FLLNEDDEDQ PRGLTKEQID NLAMRSFGEN
	DALKTCSVCI TEYTEGNKLR KLPCSHEYHV HCIDRWLSEN STCPICRRAV LSSGNRESVV
	Sequence without tag. The proposed Purification-Tag is based on experiences with the

expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

RLIM

Alternative Name:

Rlim (RLIM Products)

Background:

E3 ubiquitin-protein ligase RLIM (EC 2.3.2.27) (LIM domain-interacting RING finger protein) (RING finger LIM domain-binding protein) (R-LIM) (RING finger protein 12) (RING-type E3 ubiquitin transferase RLIM),FUNCTION: E3 ubiquitin-protein ligase that acts as a negative coregulator for LIM homeodomain transcription factors by mediating the ubiquitination and subsequent degradation of LIM cofactors LDB1 and LDB2 and by mediating the recruitment the SIN3a/histone deacetylase corepressor complex. Ubiquitination and degradation of LIM cofactors LDB1 and LDB2 allows DNA-bound LIM homeodomain transcription factors to interact with other protein partners such as RLIM. Plays a role in telomere length-mediated growth suppression by mediating the ubiquitination and degradation of TERF1. By targeting ZFP42 for degradation, acts as an activator of random inactivation of X chromosome in the embryo, a stochastic process in which one X chromosome is inactivated to minimize sex-

Target Details

Expiry Date:

12 months

Target Details	
	related dosage differences of X-encoded genes in somatic cells of female placental mammals.
	{ECO:0000269 PubMed:10431247, ECO:0000269 PubMed:11882901,
	ECO:0000269 PubMed:19945382, ECO:0000269 PubMed:22596162}.
Molecular Weight:	66.4 kDa
UniProt:	Q9WTV7
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
- · · · · ·	